



MAS API Connection Information
Medicaid Transportation

API Endpoint Documentation v5.6	2
Transportation Provider Profile	4
UpdateProviderInfo	5
MyTransportationProviderInfo	14
TransportationProviderProfile	17
Vehicle	35
ListVehicles	36
VehicleUpdate	39
FindVehicleByVIN	44
Driver	47
ListDrivers	48
GetDriver	55
NewDriver	61
UpdateDriver	64
DisableDriver	67
EnableDriver	69
Session Management	71
Trip Management	72
GPS	73
Attestation	74
Corrections	75
Informational	76
Appendix	77
Response Status	78
Token Description	83
Vehicle Type	84
String Variables	85
Correction Id Types	86
Correction Status Values	87
Mileage Upgrade Correction Values	88
Trip Status and Leg Status	89
Driver and Vehicle Reassign Status Values	90
Trip Reassign/Refusal Id Types	91

Overview

The following documentation outlines endpoints which have been updated to accommodate additional elements in respect to Transportation Provider Profile, Vehicles, and Drivers.

What can an API Connection do for a Transportation Company?

- 1. Integration:** Can easily integrate any site or application into the API data exchange giving you the freedom to use your current system.
- 2. Security:** Using a secure data key on all transactions ensures the integrity of the data passed between your System and the MAS Transportation System.
- 3. Efficiency:** Real-Time updates of information on both sides, giving you better information to run your operation.
- 4. Automation:** Computers do the work that employees used to do, making the information flow quicker and employees more productive.

General Guidelines and System Requirements

Version	<ul style="list-style-type: none"> This document covers up to and including version 5 of the API. The version of the response will always match the version of the request. The version applies only to the API structure, schema, commands, etc.
Address	https://www.medanswering.com/Provider_API.taf
Encryption	<ul style="list-style-type: none"> TLS 1.2 connections are required. An error will be returned for any unencrypted request.
Protocol	<ul style="list-style-type: none"> This web service uses the HTTP protocol. All requests must use the HTTP POST verb. All other verbs will return an error. The required Content-Type is application/xml. The payload is XML.
XML Encoding	<ul style="list-style-type: none"> XML encoding is specified in the preamble. Requests are recommended to be made with UTF-8 encoding. All responses will be returned with UTF-8 encoding.
Sessions	<ul style="list-style-type: none"> Most API calls must be associated with a session. A session is a group of API calls which accomplish a task or align to an event. Cookies are not required. If the server returns a cookie, it can be ignored. Sessions will timeout if there are no calls with that session ID in 10 minutes.
Requirements	An Authentication key will need to be obtained from Medical Answering Services before using API.
Timestamps	<ul style="list-style-type: none"> Timestamps are in local time – <i>further details in section “Token Description” {timestamp}</i> EXCEPTION – “Update Vehicle Location Request” uses a unique timestamp, formatted as a Unix Epoch

Transportation Provider Profile

Transportation Provider Profile APIs

The collection of Transportation Provider API endpoints get or set company information specifically related to the Transportation Provider as a business.

- For example, address, contact information, and roles, driver, vehicles, and more.

API List

- UpdateProviderInfo
- MyTransportationProviderInfo
- TransportationProviderProfile

UpdateProviderInfo

[UpdateProviderInfo](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

UpdateProviderInfo

 v1

Setter endpoint where company information like address and contact details are submitted to the company profile.

Request Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
sessionIdentifier	Required	Session Identifier	Session Identifier
profileID	Required	{int}	Transportation Provider (TP) Profile Id
physicalAddress	Optional	{element}	Physical address container element
physicalAddress placeId	Optional	{shortstring}	The Google place Id for the physical address
physicalAddress address2	Optional	{shortstring}	Address line 2 for the transportation provider (e.g.: POBox, Suite, Apt#, etc)
mailingAddress	Optional	{element}	Mailing address container element
mailingAddress address	Optional	{shortstring}	Mailing address for the transportation provider
mailingAddress address2	Optional	{shortstring}	Mailing address line 2 for the transportation provider
mailingAddress city	Optional	{shortstring}	Mailing address city
mailingAddress state	Optional	{shortstring}	Mailing address state for the transportation provider
mailingAddress zip	Optional	{zipcode}	Mailing address zip for the transportation provider
ownerContact	Required	{element}	Owner contact container element
ownerContact firstName	Required	{shortstring}	TP Owner contact first name
ownerContact lastName	Required	{shortstring}	TP Owner contact last name
ownerContact email	Required	{email}	TP Owner email
ownerContact phone	Required	{phone}	TP Owner contact phone number

operationsManagerContact	Required	{element}	TP Operations Manager container element
operationsManagerContact firstName	Required	{shortstring}	TP Operations Manager contact first name
operationsManagerContact lastName	Required	{shortstring}	TP Operations Manager contact last name
operationsManagerContact email	Required	{email}	TP Operations Manager email
operationsManagerContact phone	Required	{phone}	TP Operations Manager phone number
contact1	Optional	{element}	TP additional contact container element
contact1 firstName	Optional	{shortstring}	TP additional contact first name
contact1 lastName	Optional	{shortstring}	TP additional contact last name
contact1 email	Optional	{email}	TP additional contact email
contact1 phone	Optional	{phone}	TP additional contact phone number
contact2	Optional	{element}	TP additional contact container element
contact2 firstName	Optional	{shortstring}	TP additional contact first name
contact2 lastName	Optional	{shortstring}	TP additional contact last name
contact2 email	Optional	{email}	TP additional contact email
contact2 phone	Optional	{phone}	TP additional contact phone number
routingCompanyId	Optional	{int}	Company Id for the routing company
billingCompanyId	Optional	{int}	Company Id for the billing
IsTLCActive	Required	{bool}	Is TLC active
IsGPSCapabilitiesActive	Required	{bool}	Are GPS capabilities active
IsMASContractAgreementsCompleted	Required	{bool}	Are MAS contract agreements completed
IsDrugFreeWorkplace	Required	{bool}	Is this a drug free workplace
IsMASOrientationComplete	Required	{bool}	Is MAS orientation complete

Request Examples

XML

```

1 <TPRequest>
2   <updateProviderInfo version="1">
3     <sessionIdentifier>21ed3b1e-b479-456b-9db4-b29da7b062f3</sessionIdentifier>

```

```

4     <profileID>54066</profileID>
5     <physicalAddress>
6         <placeId>ChIJq8nSMdJQmoARkKra0q5qDIQ</placeId>
7         <address2>suite#138</address2>
8     </physicalAddress>
9     <mailingAddress>
10        <address>123 nowhere rd</address>
11        <address2>pobox 123</address2>
12        <city>placerville</city>
13        <state>ca</state>
14        <zip>95667</zip>
15    </mailingAddress>
16    <ownerContact>
17        <firstName>ownerFirst</firstName>
18        <lastName>ownerLast</lastName>
19        <email>ownerEmail@gmail.com</email>
20        <phone>650-279-1234</phone>
21    </ownerContact>
22    <operationsManagerContact>
23        <firstName>operationsManagerFirst</firstName>
24        <lastName>operationsManagerLast</lastName>
25        <email>operationsManagerEmail@gmail.com</email>
26        <phone>650-279-5679</phone>
27    </operationsManagerContact >
28    <contact1>
29        <firstName>contact1First</firstName>
30        <lastName>contact1Last</lastName>
31        <email>contact1Email@gmail.com</email>
32        <phone>650-279-9012</phone>
33    </contact1>
34    <contact2>
35        <firstName>contact2First</firstName>
36        <lastName>contact2Last</lastName>
37        <email>contact2Email@gmail.com</email>
38        <phone>650-279-9013</phone>
39    </contact2>
40    <routingCompanyId>1</routingCompanyId>
41    <billingCompanyId>2</billingCompanyId>
42    <IsTLCActive>true</IsTLCActive>
43    <IsGPSCapabilitiesActive>true</IsGPSCapabilitiesActive>
44    <IsMASContractAgreementsCompleted>true</IsMASContractAgreementsCompleted>
45    <IsDrugFreeWorkplace>true</IsDrugFreeWorkplace>
46    <IsMASOrientationComplete>true</IsMASOrientationComplete>
47    </updateProviderInfo>
48 </TPRequest>

```

JSON

```

1  {
2    "TPRequest": {
3      "sessionIdentifier": "{{sessionIdentifier}}",
4      "call": "updateProviderInfo",
5      "version": 1,
6      "profileID": 54066,
7      "physicalAddress": {
8        "placeId": "ChIJ0yshvNk0wYkRydaqDAIJRNw",
9        "address2": "suite#138"
10     },

```



```

11  "mailingAddress": {
12    "address": "1942 ford rd",
13    "address2": null,
14    "city": "Bristol",
15    "state": "PA",
16    "zip": "19007"
17  },
18  "ownerContact": {
19    "firstName": "Mike",
20    "lastName": "Collins",
21    "email": "Owner@email.com",
22    "phone": "650-279-1266"
23  },
24  "operationsManagerContact": {
25    "firstName": "operationsTest",
26    "lastName": "managerTest",
27    "email": "OperationsManager@email.com",
28    "phone": "650-279-1288"
29  },
30  "contact1": {
31    "firstName": "testContact1",
32    "lastName": "testersonContact1",
33    "email": "testTesterson1@gmail.com",
34    "phone": "650-279-6577"
35  },
36  "contact2": {
37    "firstName": "testContact2",
38    "lastName": "testersonContact2",
39    "email": "testTesterson2@gmail.com",
40    "phone": "650-279-6588"
41  },
42  "routingCompanyId": 1,
43  "billingCompanyId": 2,
44  "IsTLCActive": true,
45  "IsGPSCapabilitiesActive" : true,
46  "IsMASContractAgreementsCompleted": true,
47  "IsDrugFreeWorkplace": true,
48  "IsMASOrientationComplete": true
49  }
50 }

```

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responseStatus	Required	{int}	1000, 40XX
responseMessage	Required	{string}	See response chart
transportationProvider	Required	{element}	Container element
transportationProvider Street	Required	{shortstring}	Transportation Provider (TP) street
transportationProvider Street2	Optional	{shortstring}	TP address line 2
transportationProvider City	Required	{shortstring}	TP city

transportationProvider State	Required	{shortstring}	TP State
transportationProvider Zip	Required	{zipcode}	TP zip code
transportationProvider Owner_First_Name	Required	{shortstring}	TP owner First name
transportationProvider Owner_Last_Name	Required	{shortstring}	TP owner Last name
transportationProvider Owner_Phone	Required	{phone}	TP owner phone number
transportationProvider Owner_Email	Required	{email}	TP owner email address
transportationProvider Operations_Manager_First_Name	Required	{shortstring}	TP operations manager first name
transportationProvider Operations_Manager_Last_Name	Required	{shortstring}	TP operations manager Last name
transportationProvider Operations_Manager_Phone	Required	{phone}	TP operations manager phone number
transportationProvider Operations_Manager_Email	Required	{email}	TP operations manager email
transportationProvider Contact_1_First_Name	optional	{shortstring}	TP contact 1 first name
transportationProvider Contact_1_Last_Name	Optional	{shortstring}	TP contact 1 last name
transportationProvider Contact_1_Phone	Optional	{phone}	TP contact 1 phone number
transportationProvider Contact_1_Email	Optional	{email}	TP contact 1 email
transportationProvider Contact_2_First_Name	optional	{shortstring}	TP contact 2 first name
transportationProvider Contact_2_Last_Name	Optional	{shortstring}	TP contact 2 last name
transportationProvider Contact_2_Phone	Optional	{phone}	TP contact 2 phone number
transportationProvider Contact_2_Email	Optional	{email}	TP contact 2 email
transportationProvider mailing_address_detail_id	Required	{int}	TP Mailing address Id
transportationProvider Routing_Company_ID	Required	{int}	TP routing company id

transportationProvider Billing_Company_ID	Required	{int}	TP billing company id
physicalAddress	Required	{element}	Container element
physicalAddress address_detail_id	Required	{int}	Physical Address address detail id
physicalAddress address	Required	{shortstring}	Physical Address street address
physicalAddress secondary	Required	{shortstring}	Physical Address secondary address (e.g. Suite#)
physicalAddress city	Required	{shortstring}	Physical Address city
physicalAddress state	Required	{shortstring}	Physical Address state
physicalAddress zip	Required	{zipcode}	Physical Address zip code
mailingAddress		{element}	Container element
mailingAddress address_detail_id	Required	{int}	Mailing Address address detail id
mailingAddress address	Required	{shortstring}	Mailing Address street address
mailingAddress secondary	Required	{shortstring}	Mailing Address secondary address (e.g.: Suite#)
mailingAddress city	Required	{shortstring}	Mailing Address city
mailingAddress state	Required	{shortstring}	Mailing Address state
mailingAddress zip	Required	{zipcode}	Mailing Address zip code
billingCompany	Required	{element}	Container element
billingCompany ID	Required	{int}	Billing Company ID
billingCompany Company_type	Required	{shortstring}	Billing Company company type (Billing)
billingCompany Company_Name	Required	{shortstring}	Billing Company name
billingCompany Contact_First_Name	Required	{shortstring}	Billing Company contact first name
billingCompany Contact_Last_Name	Required	{shortstring}	Billing Company contact last name
billingCompany Email_Address	Required	{email}	Billing Company email address
billingCompany Phone_Number	Required	{phone}	Billing Company phone number
billingCompany Website_URL	Required	{shortstring}	Billing Company website url
routingCompany	Required	{element}	Container element
routingCompany ID	Required	{int}	Routing Company
routingCompany Company_type	Required	{shortstring}	Routing Company type (Routing)

routingCompany Company_Name	Required	{shortstring}	Routing Company company name
routingCompany Contact_First_Name	Required	{shortstring}	Routing Company first name
routingCompany Contact_Last_Name	Required	{shortstring}	Routing Company last name
routingCompany Email_Address	Required	{email}	Routing Company email address
routingCompany Phone_Number	Required	{phone}	Routing Company phone number
routingCompany Website_URL	Required	{shortstring}	Routing Company website url

Response Examples

XML

```

1 <?xml version="1.0" encoding="utf-8" ?>
2 <TPResponse mode="Testing">
3   <callStatus>1000</callStatus>
4   <callMessage>Success.</callMessage>
5   <updateProviderInfo version="1">
6     <responseStatus>1000</responseStatus>
7     <responseMessage>Success.</responseMessage>
8     <transportationProvider>
9       <Street>1111 NJ-73</Street>
10      <Street2>suite#138</Street2>
11      <City>Mount Laurel Townshi</City>
12      <State>NJ</State>
13      <Zip>08054</Zip>
14      <Owner_First_Name>Mike</Owner_First_Name>
15      <Owner_Last_Name>Collins</Owner_Last_Name>
16      <Owner_Phone>650-279-1266</Owner_Phone>
17      <Owner_Email>Mcollins@email.com</Owner_Email>
18      <Operations_Manager_First_Name>operationsTest</Operations_Manager_First_Name>
19      <Operations_Manager_Last_Name>managerTest</Operations_Manager_Last_Name>
20      <Operations_Manager_Phone>650-279-1288</Operations_Manager_Phone>
21      <Operations_Manager_Email>operationsManager@email.com</Operations_Manager_Email>
22      <Contact_1_First_Name>testContact1</Contact_1_First_Name>
23      <Contact_1_Last_Name>testersonContact1</Contact_1_Last_Name>
24      <Contact_1_Phone>650-279-6577</Contact_1_Phone>
25      <Contact_1_Email>testTesterson1@gmail.com</Contact_1_Email>
26      <Contact_2_First_Name>testContact2</Contact_2_First_Name>
27      <Contact_2_Last_Name>testersonContact2</Contact_2_Last_Name>
28      <Contact_2_Phone>650-279-6588</Contact_2_Phone>
29      <Contact_2_Email>testTesterson2@gmail.com</Contact_2_Email>
30      <mailing_address_detail_id>24440363</mailing_address_detail_id>
31      <Routing_Company_ID>1</Routing_Company_ID>
32      <Billing_Company_ID>2</Billing_Company_ID>
33    </transportationProvider>
34    <physicalAddress>
35      <address_detail_id>24440362</address_detail_id>
36      <address>1111 NJ-73</address>
37      <secondary>suite#138</secondary>
38      <city>Mount Laurel Township</city>
39      <state>NJ</state>
40      <zip>08054</zip>

```

```

41     </physicalAddress>
42     <mailingAddress>
43         <address_detail_id>24440363</address_detail_id>
44         <address>1942 Ford Rd</address>
45         <secondary></secondary>
46         <city>Bristol</city>
47         <state>PA</state>
48         <zip>19007</zip>
49     </mailingAddress>
50     <billingCompany>
51         <ID>2</ID>
52         <Company_type>Billing</Company_type>
53         <Company_Name>Transit Partners</Company_Name>
54         <Contact_First_Name>Ronald</Contact_First_Name>
55         <Contact_Last_Name>Molloy</Contact_Last_Name>
56         <Email_Address>rmolloy@email.com</Email_Address>
57         <Phone_Number>914-506-4170</Phone_Number>
58         <Website_URL>www.CompanyWebsite.com</Website_URL>
59     </billingCompany>
60     <routingCompany>
61         <ID>1</ID>
62         <Company_type>Routing</Company_type>
63         <Company_Name>Transit Partners</Company_Name>
64         <Contact_First_Name>Ronald</Contact_First_Name>
65         <Contact_Last_Name>Molloy</Contact_Last_Name>
66         <Email_Address>rmolloy@email.com</Email_Address>
67         <Phone_Number>914-506-4170</Phone_Number>
68         <Website_URL>www.CompanyWebsite.com</Website_URL>
69     </routingCompany>
70 </updateProviderInfo>
71 </TPResponse>

```

JSON

```

1  {
2    "TPResponse": {
3      "mode": "Testing",
4      "callStatus": "1000",
5      "callMessage": "Success.",
6      "updateProviderInfo": {
7        "version": "1",
8        "responseStatus": "1000",
9        "responseMessage": "Success.",
10     "transportationProvider": {
11       "Street": "1111 NJ-73",
12       "Street2": "suite#138",
13       "City": "Mount Laurel Townshi",
14       "State": "NJ",
15       "Zip": "08054",
16       "Owner_First_Name": "Mike",
17       "Owner_Last_Name": "Collins",
18       "Owner_Phone": "650-279-1266",
19       "Owner_Email": "Mcollins@email.com",
20       "Operations_Manager_First_Name": "operationsTest",
21       "Operations_Manager_Last_Name": "managerTest",
22       "Operations_Manager_Phone": "650-279-1288",
23       "Operations_Manager_Email": "operationsManager@email.com",
24       "Contact_1_First_Name": "testContact1",

```

```

25     "Contact_1_Last_Name": "testersonContact1",
26     "Contact_1_Phone": "650-279-6577",
27     "Contact_1_Email": "testTesterson1@gmail.com",
28     "Contact_2_First_Name": "testContact2",
29     "Contact_2_Last_Name": "testersonContact2",
30     "Contact_2_Phone": "650-279-6588",
31     "Contact_2_Email": "testTesterson2@gmail.com",
32     "mailing_address_detail_id": "24440359",
33     "Routing_Company_ID": "1",
34     "Billing_Company_ID": "2"
35 },
36 "physicalAddress": {
37     "address_detail_id": "24440358",
38     "address": "1111 NJ-73",
39     "secondary": "suite#138",
40     "city": "Mount Laurel Township",
41     "state": "NJ",
42     "zip": "08054"
43 },
44 "mailingAddress": {
45     "address_detail_id": "24440359",
46     "address": "1942 Ford Rd",
47     "secondary": "",
48     "city": "Bristol",
49     "state": "PA",
50     "zip": "19007"
51 },
52 "billingCompany": {
53     "ID": "2",
54     "Company_type": "Billing",
55     "Company_Name": "Transit Partners",
56     "Contact_First_Name": "Ronald",
57     "Contact_Last_Name": "Molloy",
58     "Email_Address": "rmolloy@email.com",
59     "Phone_Number": "914-506-4170",
60     "Website_URL": "www.CompanyWebsite.com"
61 },
62 "routingCompany": {
63     "ID": "1",
64     "Company_type": "Routing",
65     "Company_Name": "Transit Partners",
66     "Contact_First_Name": "Ronald",
67     "Contact_Last_Name": "Molloy",
68     "Email_Address": "rmolloy@email.com",
69     "Phone_Number": "914-506-4170",
70     "Website_URL": "www.CompanyWebsite.com"
71 }
72 }
73 }
74 }

```

MyTransportationProviderInfo

[MyTransportationProviderInfo](#) | [Request Elements](#) | [Request Examples](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [JSON](#)

MyTransportationProviderInfo

 v1

Returns details for each Transportation Provider's profiles in the various counties they do business.

- This includes county 99 which is a “unified” profile and the primary profile now.
- Earlier versions of the system used individual county profiles, but now the unified county 99 profile is used for all transactions and tracking.
- Every company has a county 99 profile and companies which have been added more recently do not have any other counties listed.

Request Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
sessionIdentifier	Required	{sessionId}	Session Id

Request Examples


XML	<p> 6015 = Invalid Request</p> <ul style="list-style-type: none"> • Request must use JSON
JSON	<pre> 1 { 2 "sessionIdentifier": "{{sessionIdentifier}}", 3 "call": "myTransportationProviderInfo", 4 "version": 1 5 }</pre>

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
sessionIdentifier	Required	{sessionId}	Session Id
id	Required	{int}	User Id
providerID	Required	{int}	Provider Id
medicaidCountyNumber	Required	{int}	Medicaid county number 99 is “unified”
medicaidCounty	Required	{string}	Medicaid county name; blank if “unified”
primary	Required	{boolean}	Primary county indicator

companyName	Required	{string}	Company name
contactFirstName	Required	{string}	Contact first name
contactLastName	Required	{string}	Contact last name
email	Required	{email}	Contact email
tripTypes	Required	{string}	Pipe delimited Trip type names
addressDetailId	Required	{int}	Address detail id
address	Required	{string}	Street address
secondary	Required	{string}	Secondary street address
detail	Required	{string}	Address additional detail
city	Required	{string}	Address city
state	Required	{string}	Address state
zip	Required	{string}	Address zip
county	Required	{string}	Address county
canAccessDriverApp	Required	{bool}	Indicates if there is access to the driver app
Trans_Provider_Service_Areas_Id	Required	{int}	Service Areas Id
Label	Required	{string}	Display label
Dispatch_Contact_First_Name	Optional	{string}	Dispatcher's first name
Dispatch_Contact_Last_Name	Optional	{string}	Dispatcher's last name
Dispatch_Contact_Phone	Optional	{string}	Dispatcher's phone number
Dispatch_Contact_Phone_Ext	Optional	{string}	Dispatcher's phone number extension
Dispatch_Contact_Email	Optional	{string}	Dispatcher's email address

Response Examples

XML

 6014 = Invalid Accept

- Must use JSON

JSON

```

1  {
2    "MTMResponse": {
3      "mode": "Testing",
4      "callStatus": 1000,
5      "callMessage": "Success.",
6      "myTransportationProviderInfo": {
7        "version": 1,
8        "responseStatus": 1000,
9        "responseMessage": "Success.",
10       "myTransportationProviderInfoResults": [

```



```

11     {
12         "id": 52034,
13         "providerID": "54648",
14         "medicaidCountyNumber": "99",
15         "medicaidCounty": "",
16         "primary": false,
17         "companyName": "Sunshine Cab Company",
18         "contactFirstName": "Jim",
19         "contactLastName": "Smith",
20         "email": "jim.smith@email.com",
21         "tripTypes": "Medicaid| Title XX",
22         "addressDetailId": "123456",
23         "address": "13030 Main St",
24         "secondary": "Ste 801",
25         "detail": "",
26         "city": "Flushing",
27         "state": "NY",
28         "zip": "11354",
29         "county": "Queens",
30         "canAccessDriverApp": false,
31         "Trans_Provider_Service_Areas_Id": "34",
32         "Label": "Default",
33         "Dispatch_Contact_First_Name": "Louie",
34         "Dispatch_Contact_Last_Name": "Smith",
35         "Dispatch_Contact_Phone": "3151231234",
36         "Dispatch_Contact_Phone_Ext": "",
37         "Dispatch_Contact_Email": "louie.smith@email.com"
38     },
39     ...
40 ]
41 }
42 }
43 }

```

[MyTransportationProviderInfo](#) | [Request Elements](#) | [Request Examples](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [JSON](#)

TransportationProviderProfile

[TransportationProviderProfile](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

TransportationProviderProfile

 v1

Getter endpoint which provides company information for a specific `profileId`.

- `profileId` is linked to a specific county or county 99 which would be the “unified” profile.
- Returns contact and address information similar to **MyTransportationProviderInfo**, but also returns much more.
- For example: schedule info, selected billing/routing company, various credentialing fields, services, zip codes serviced, drivers, vehicles, and more.

Request Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
sessionIdentifier	Required	{sessionId}	Session Id
profileID	Required	{int}	TP's Profile Id (from MTM myTransportationProviderInfo)

Request Examples

XML

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <TPRequest>
3   <transportationProviderProfile version="1">
4     <sessionIdentifier>{{sessionIdentifier}}</sessionIdentifier>
5     <profileID>{{profileID}}</profileID>
6   </transportationProviderProfile>
7 </TPRequest>

```

JSON

```

1 {
2   "TPRequest": {
3     "sessionIdentifier": "{{sessionIdentifier}}",
4     "call": "transportationProviderProfile",
5     "version": "1",
6     "profileID": "{{profileID}}"
7   }
8 }

```

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responsestatus	Required	{int}	1000, 40XX
responseMessage	Required	{string}	See response chart

status	Required	{bool}	Status
Company_Name	Required	{string}	Company name
FAX	Required	{phone}	Fax number
Owner_First_Name	Required	{string}	Owner first name
Owner_Last_Name	Required	{string}	Owner last name
Owner_Phone	Required	{phone}	Owner phone
Owner_Email	Required	{email}	Owner email
Operations_Manager_First_Name	Required	{string}	Operations Manager first name
Operations_Manager_Last_Name	Required	{string}	Operations Manager last name
Operations_Manager_Phone	Required	{phone}	Operations Manager phone
Operations_Manager_Email	Required	{email}	Operations Manager email
Dispatch_First_Name	Required	{string}	Dispatch first name
Dispatch_Last_Name	Required	{string}	Dispatch last name
Dispatch_Phone	Required	{phone}	Dispatch phone
Dispatch_Email	Required	{email}	Dispatch email
Contact_1_First_Name	Optional	{string}	Contact_1 first name
Contact_1_Last_Name	Optional	{string}	Contact_1 last name
Contact_1_Phone	Optional	{phone}	Contact_1 phone
Contact_1_Email	Optional	{email}	Contact_1 email
Contact_2_First_Name	Optional	{string}	Contact_2 first name
Contact_2_Last_Name	Optional	{string}	Contact_2 last name
Contact_2_Phone	Optional	{phone}	Contact_2 phone
Contact_2_Email	Optional	{email}	Contact_2 email
Provider_ID	Required	{int}	Transportation provider id
Contact_Method	Required	{string}	Contact method
Business_Hours	Required	{timestamp}	Business hours in local time
Tax_ID	Required	{string}	Tax id
Use_Schedule	Required	{bool}	Use schedule (bool)
Monday_Start_Time	Required	{timestamp}	Start time in local time
Monday_End_Time	Required	{timestamp}	End time in local time
Tuesday_Start_Time	Required	{timestamp}	Start time in local time

Tuesday_End_Time	Required	{timestamp}	End time in local time
Wednesday_Start_Time	Required	{timestamp}	Start time in local time
Wednesday_End_Time	Required	{timestamp}	End time in local time
Thursday_Start_Time	Required	{timestamp}	Start time in local time
Thursday_End_Time	Required	{timestamp}	End time in local time
Friday_Start_Time	Required	{timestamp}	Start time in local time
Friday_End_Time	Required	{timestamp}	End time in local time
Saturday_Start_Time	Required	{timestamp}	Start time in local time
Saturday_End_Time	Required	{timestamp}	End time in local time
Sunday_Start_Time	Required	{timestamp}	Start time in local time
Sunday_End_Time	Required	{timestamp}	End time in local time
Monday_Set_Hours_Available	Required	{bool}	Set hours available (bool)
Tuesday_Set_Hours_Available	Required	{bool}	Set hours available (bool)
Wednesday_Set_Hours_Available	Required	{bool}	Set hours available (bool)
Thursday_Set_Hours_Available	Required	{bool}	Set hours available (bool)
Friday_Set_Hours_Available	Required	{bool}	Set hours available (bool)
Saturday_Set_Hours_Available	Required	{bool}	Set hours available (bool)
Sunday_Set_Hours_Available	Required	{bool}	Set hours available (bool)
Display_On_Public_Site	Required	{bool}	Display on public site (bool)
Local_Payment	Required	{bool}	Local payment ok (bool)
Include_In_Rotation	Required	{bool}	Include in rotation (bool)
address_detail_id	Required	{int}	Address detail id
SameDayCall	Required	{bool}	Same day call ok (bool)
NextDayCall	Required	{bool}	Next day call ok (bool)
mailing_address_detail_id	Required	{int}	Mailing address detail id
Is_RideHail	Required	{bool}	Ride hail ok (bool)
Use_Daily_Ride_Capacity	Required	{bool}	Use daily ride capacity (bool)
Monday_Daily_Ride_Capacity	Required	{int}	Daily ride capacity
Tuesday_Daily_Ride_Capacity	Required	{int}	Daily ride capacity
Wednesday_Daily_Ride_Capacity	Required	{int}	Daily ride capacity
Thursday_Daily_Ride_Capacity	Required	{int}	Daily ride capacity

Friday_Daily_Ride_Capacity	Required	{int}	Daily ride capacity
Saturday_Daily_Ride_Capacity	Required	{int}	Daily ride capacity
Sunday_Daily_Ride_Capacity	Required	{int}	Daily ride capacity
Routing_Company_ID	Required	{int}	Routing company id
Billing_Company_ID	Required	{int}	Billing company id
Comments	Required	{string}	Comments
IsDOHApprovalLetterActive	Required	{bool}	Is there an active DOH approval letter
IsEMedNyRegistrationActive	Required	{bool}	Is EMED NY registration active
IsTLCActive	Required	{bool}	Is TLC active
IsGPSCapabilitiesActive	Required	{bool}	Are GPS capabilities active
IsMASContractAgreementsCompleted	Required	{bool}	Are MAS contract agreements completed
IsDrugFreeWorkplace	Required	{bool}	Is it a drug free workplace
IsMASOrientationComplete	Required	{bool}	Is MAS orientation complete
IsCompanyExclusionCheckStatusActive	Required	{bool}	Is there an active company exclusion
CompanyExclusionDate	Required	{date}	company exclusion date
IsOwnerExclusionCheckStatusActive	Required	{bool}	Is there an active owner exclusion
OwnerExclusionCheckDate	Required	{date}	owner exclusion date
IsOperationsManagerExclusionCheckStatusActive	Required	{bool}	Is there an active manager exclusion
OperationsManagerExclusionCheckDate	Required	{date}	manager exclusion date
IsContact1ExclusionCheckStatusActive	Required	{bool}	Is there an active contact 1 exclusion
Contact1ExclusionCheckDate	Required	{date}	contact exclusion date
IsContact2ExclusionCheckStatusActive	Required	{bool}	Is there an active contact 2 exclusion
Contact2ExclusionCheckDate	Required	{date}	contact exclusion date
NPINumber	Required	{string}	NPI Number
Unavailable_Dates	Required	{date}	Unavailable date
Service_Codes ID	Required	{int}	Service id
Service_Codes Status	Required	{bool}	Service code status

Service_Codes Trans_Type_ID	Required	{int}	Transportation type id
Service_Codes Service	Required	{string}	Service type
Service_Codes Procedure_Code	Required	{string}	Service type procedure code
Service_Codes Procedure_Code_Mod	Required	{string}	Service type procedure code modifier
Service_Codes Rate	Required	{decimal}	Service rate
Drivers ID	Required	{int}	Driver id
Drivers Status	Required	{bool}	Driver status
Drivers First_Name	Required	{string}	Driver first name
Drivers Last_Name	Required	{string}	Driver last name
Drivers License	Required	{string}	Driver license number
Drivers Expiration	Required	{date}	Driver license expiration
Email_Address	Required	{string}	Driver email address
Birth_Date	Required	{date}	Driver birth date
CTAA_Email_Address	Required	{string}	Driver email address for CTAA
MVR_Check_Date	Required	{date}	MVR check date
MVR_Check_Status	Required	{bool}	MVR check status
Vehicles ID	Required	{int}	Vehicle id
Vehicles Status	Required	{bool}	Vehicle status
Vehicles Vehicle_Type	Required	{string}	Vehicle type
Vehicles Vehicle_Name	Required	{string}	Vehicle name
Vehicles License	Required	{string}	Vehicle license
Vehicles Expiration	Required	{date}	Vehicle expiration date
Vin	Required	{string}	Vehicle identification number
Vehicle_Year	Required	{int}	Vehicle year
Vehicle_Make	Required	{string}	Vehicle make
Vehicle_Model	Required	{string}	Vehicle model
Vehicle_Color	Required	{string}	Vehicle color
Capacity_Taxi_Livery	Required	{int}	Vehicle capacity for taxi/livery
Capacity_Ambulatory	Required	{int}	Vehicle ambulatory capacity
Capacity_Wheelchair	Required	{int}	Vehicle wheelchair capacity
Capacity_Stretcher	Required	{int}	Vehicle stretcher capacity

Capacity_BLS	Required	{int}	Vehicle BLS capacity
Capacity_ALS	Required	{int}	Vehicle ALS capacity
DMV_Registration_Status	Required	{bool}	Vehicle
serviceZipCodes zipcode	Required	{zipcode}	Service zipcode
serviceZipCodes county	Required	{string}	Service county
serviceZipCodes address_county_id	Required	{int}	Address county ID
availableServiceTypes serviceTypeId	Required	{int}	Service type ID
availableServiceTypes serviceTypeShortName	Required	{string}	Service type name
serviceCapacities serviceTypeId	Required	{int}	Service type ID
serviceCapacities days day	Required	{int}	Day number (0-6 Sun-Sat)
serviceCapacities days capacity	Required	{int}	Service capacity for this day
serviceCapacities days maximumCapacity	Required	{int}	Service maximum capacity for this day
serviceAreas serviceAreaId	Required	{int}	Service area ID
serviceAreas label	Required	{string}	Service area label
serviceAreas serviceTypeIds	Required	{int}	Array of service type ids
serviceAreas SA_ID	Required	{int}	Service area ID
serviceAreas SA_Dispatch_First_Name	Optional	{string}	Service area dispatch first name
serviceAreas SA_Dispatch_Last_Name	Optional	{string}	Service area dispatch last name
serviceAreas SA_Dispatch_Phone	Optional	{string}	Service area dispatch phone number
serviceAreas SA_Dispatch_Phone_Ext	Optional	{string}	Service area dispatch phone extension
serviceAreas SA_Dispatch_Email	Optional	{string}	Service area dispatch email
serviceAreas zipcodes	Required	{zipcode}	Array of zip codes included in this service area
serviceAreas availability day	Required	{int}	Day number (0-6 Sun-Sat)
serviceAreas availability open	Required	{time}	24 hour time open for this service area day (e.g.: 0600 = 6:00 AM)

serviceAreas availability closed	Required	{time}	24 hour time open for this service area day (e.g.: 0600 = 6:00 AM)
can_toggle_schedule	Required	{bool}	If schedule is optional for TP
ambulanceService	Required	{bool}	Ambulance service provided
isUnifiedInUse	Required	{bool}	TP has activated unified profile
canAccessDriverApp	Required	{bool}	Indicates if there is access to the driver app

Response Examples

XML

```
1 <?xml version="1.0" encoding="utf-8" ?>
2 <TPResponse mode="Production">
3   <callStatus>1000</callStatus>
4   <callMessage>Success.</callMessage>
5   <transportationProviderProfile version="1">
6     <responseStatus>1000</responseStatus>
7     <responseMessage>Success.</responseMessage>
8     <Status>
9       <![CDATA[1]]>
10    </Status>
11    <Company_Name>
12      <![CDATA[Training Vendor]]>
13    </Company_Name>
14    <FAX></FAX>
15    <Owner_First_Name>
16      <![CDATA[Mike]]>
17    </Owner_First_Name>
18    <Owner_Last_Name>
19      <![CDATA[Collins]]>
20    </Owner_Last_Name>
21    <Owner_Phone>
22      <![CDATA[6502791266]]>
23    </Owner_Phone>
24    <Owner_Email>
25      <![CDATA[Mcollins@email.com]]>
26    </Owner_Email>
27    <Operations_Manager_First_Name>
28      <![CDATA[operationsTest]]>
29    </Operations_Manager_First_Name>
30    <Operations_Manager_Last_Name>
31      <![CDATA[managerTest]]>
32    </Operations_Manager_Last_Name>
33    <Operations_Manager_Phone>
34      <![CDATA[6502791288]]>
35    </Operations_Manager_Phone>
36    <Operations_Manager_Email>
37      <![CDATA[operationsManager@email.com]]>
38    </Operations_Manager_Email>
39    <Dispatch_First_Name>
40      <![CDATA[Terri]]>
41    </Dispatch_First_Name>
42    <Dispatch_Last_Name>
43      <![CDATA[Collins]]>
44    </Dispatch_Last_Name>
45    <Dispatch_Phone>
46      <![CDATA[6502791277]]>
47    </Dispatch_Phone>
48    <Dispatch_Email>
49      <![CDATA[Tcollins@email.com]]>
50    </Dispatch_Email>
51    <Contact_1_First_Name>
52      <![CDATA[testContact1]]>
53    </Contact_1_First_Name>
54    <Contact_1_Last_Name>
55      <![CDATA[testersonContact1]]>
56    </Contact_1_Last_Name>
57    <Contact_1_Phone>
58      <![CDATA[6502796577]]>
59    </Contact_1_Phone>
```

```
60 <Contact_1_Email>
61 <![CDATA[testTesterson1@gmail.com]]>
62 </Contact_1_Email>
63 <Contact_2_First_Name>
64 <![CDATA[testContact2]]>
65 </Contact_2_First_Name>
66 <Contact_2_Last_Name>
67 <![CDATA[testersonContact2]]>
68 </Contact_2_Last_Name>
69 <Contact_2_Phone>
70 <![CDATA[6502796588]]>
71 </Contact_2_Phone>
72 <Contact_2_Email>
73 <![CDATA[testTesterson2@gmail.com]]>
74 </Contact_2_Email>
75 <Provider_ID>
76 <![CDATA[TRAINING]]>
77 </Provider_ID>
78 <Contact_Method></Contact_Method>
79 <Business_Hours></Business_Hours>
80 <Tax_ID></Tax_ID>
81 <Use_Schedule>>true</Use_Schedule>
82 <Monday_Start_Time>00:00</Monday_Start_Time>
83 <Monday_End_Time>24:00</Monday_End_Time>
84 <Tuesday_Start_Time>00:00</Tuesday_Start_Time>
85 <Tuesday_End_Time>24:00</Tuesday_End_Time>
86 <Wednesday_Start_Time>00:00</Wednesday_Start_Time>
87 <Wednesday_End_Time>24:00</Wednesday_End_Time>
88 <Thursday_Start_Time>00:00</Thursday_Start_Time>
89 <Thursday_End_Time>24:00</Thursday_End_Time>
90 <Friday_Start_Time>00:00</Friday_Start_Time>
91 <Friday_End_Time>24:00</Friday_End_Time>
92 <Saturday_Start_Time>00:00</Saturday_Start_Time>
93 <Saturday_End_Time>24:00</Saturday_End_Time>
94 <Sunday_Start_Time>00:00</Sunday_Start_Time>
95 <Sunday_End_Time>24:00</Sunday_End_Time>
96 <Monday_Set_Hours_Available></Monday_Set_Hours_Available>
97 <Tuesday_Set_Hours_Available></Tuesday_Set_Hours_Available>
98 <Wednesday_Set_Hours_Available></Wednesday_Set_Hours_Available>
99 <Thursday_Set_Hours_Available></Thursday_Set_Hours_Available>
100 <Friday_Set_Hours_Available></Friday_Set_Hours_Available>
101 <Saturday_Set_Hours_Available></Saturday_Set_Hours_Available>
102 <Sunday_Set_Hours_Available></Sunday_Set_Hours_Available>
103 <Display_on_Public_Site>>true</Display_on_Public_Site>
104 <Local_Payment>>false</Local_Payment>
105 <Include_In_Rotation>>false</Include_In_Rotation>
106 <address_detail_id>24440368</address_detail_id>
107 <SameDayCall>>true</SameDayCall>
108 <NextDayCall>>true</NextDayCall>
109 <mailing_address_detail_id>24440369</mailing_address_detail_id>
110 <Is_RideHail>>false</Is_RideHail>
111 <Use_Daily_Ride_Capacity>>true</Use_Daily_Ride_Capacity>
112 <Monday_Daily_Ride_Capacity>1000</Monday_Daily_Ride_Capacity>
113 <Tuesday_Daily_Ride_Capacity>1000</Tuesday_Daily_Ride_Capacity>
114 <Wednesday_Daily_Ride_Capacity>50</Wednesday_Daily_Ride_Capacity>
115 <Thursday_Daily_Ride_Capacity>50</Thursday_Daily_Ride_Capacity>
116 <Friday_Daily_Ride_Capacity>50</Friday_Daily_Ride_Capacity>
117 <Saturday_Daily_Ride_Capacity>40</Saturday_Daily_Ride_Capacity>
118 <Sunday_Daily_Ride_Capacity>1000</Sunday_Daily_Ride_Capacity>
119 <Routing_Company_ID>1</Routing_Company_ID>
```

```

120 <Billing_Company_ID>2</Billing_Company_ID>
121 <Comments></Comments>
122 <IsDOHApprovalLetterActive>>false</IsDOHApprovalLetterActive>
123 <IsEMedNyRegistrationActive>>false</IsEMedNyRegistrationActive>
124 <IsTLCActive>>true</IsTLCActive>
125 <IsGPSCapabilitiesActive>>true</IsGPSCapabilitiesActive>
126 <IsMASContractAgreementsCompleted>>true</IsMASContractAgreementsCompleted>
127 <IsDrugFreeWorkplace>>true</IsDrugFreeWorkplace>
128 <IsMASOrientationComplete>>true</IsMASOrientationComplete>
129 <IsCompanyExclusionCheckStatusActive>>false</IsCompanyExclusionCheckStatusActive>
130 <CompanyExclusionDate></CompanyExclusionDate>
131 <IsOwnerExclusionCheckStatusActive>>false</IsOwnerExclusionCheckStatusActive>
132 <OwnerExclusionCheckDate></OwnerExclusionCheckDate>
133 <IsOperationsManagerExclusionCheckStatusActive>>false</IsOperationsManagerExclusionCheckStatusActive>
134 <OperationsManagerExclusionCheckDate></OperationsManagerExclusionCheckDate>
135 <IsContact1ExclusionCheckStatusActive>>false</IsContact1ExclusionCheckStatusActive>
136 <Contact1ExclusionCheckDate></Contact1ExclusionCheckDate>
137 <IsContact2ExclusionCheckStatusActive>>false</IsContact2ExclusionCheckStatusActive>
138 <Contact2ExclusionCheckDate></Contact2ExclusionCheckDate>
139 <NPINumber>1234567891</NPINumber>
140 <Unavailable_Dates>
141 <value>06/10/2019</value>
142 <value>09/09/2021</value>
143 <value>01/01/2022</value>
144 ...
145 </Unavailable_Dates>
146 <Service_Codes>
147 <service>
148 <ID>836255</ID>
149 <Status>1</Status>
150 <Trans_Type_ID></Trans_Type_ID>
151 <Service>Mileage-Ambulette Cattaraugus</Service>
152 <Procedure_Code>S0209</Procedure_Code>
153 <Procedure_Code_Mod></Procedure_Code_Mod>
154 <Rate>2.06</Rate>
155 </service>
156 ...
157 </Service_Codes>
158 <Drivers>
159 <driver>
160 <ID>1648973</ID>
161 <Status>1</Status>
162 <First_Name>chuck</First_Name>
163 <Last_Name>blue</Last_Name>
164 <License>123455677</License>
165 <Expiration>11/10/2021</Expiration>
166 <Email_Address>
167 <![CDATA[test@email.com]]>
168 </Email_Address>
169 <Birth_Date>10/20/1962</Birth_Date>
170 <CTAA_Email_Address>
171 <![CDATA[test1937900@ctaa.org]]>
172 </CTAA_Email_Address>
173 <MVR_Check_Date></MVR_Check_Date>
174 <MVR_Check_Status>0</MVR_Check_Status>
175 </driver>
176 ...
177 </Drivers>
178 <Vehicles>
179 <vehicle>

```

```

180         <ID>1418507</ID>
181         <Status>0</Status>
182         <Vehicle_Type>betsy</Vehicle_Type>
183         <Vehicle_Name>Livery</Vehicle_Name>
184         <License>abc123</License>
185         <Expiration>10/31/2022</Expiration>
186         <Vin>1WXYZ31L58DB07T87</Vin>
187         <Vehicle_Year>2008</Vehicle_Year>
188         <Vehicle_Make>FORD</Vehicle_Make>
189         <Vehicle_Model>E-350</Vehicle_Model>
190         <Vehicle_Color>gray</Vehicle_Color>
191         <Capacity_Taxi_Livery>12</Capacity_Taxi_Livery>
192         <Capacity_Ambulatory>0</Capacity_Ambulatory>
193         <Capacity_Wheelchair>0</Capacity_Wheelchair>
194         <Capacity_Stretcher>0</Capacity_Stretcher>
195         <Capacity_BLS>0</Capacity_BLS>
196         <Capacity_ALS>0</Capacity_ALS>
197         <DMV_Registration_Status>1</DMV_Registration_Status>
198     </vehicle>
199     ...
200 </Vehicles>
201 <serviceZipcodes>
202     <zipCounty>
203         <zipcode>10001</zipcode>
204         <county>New York</county>
205         <address_county_id>31</address_county_id>
206     </zipCounty>
207     ...
208 </serviceZipcodes>
209 <availableServiceTypes size="6">
210     <availableServiceType index="1">
211         <serviceTypeId>114606</serviceTypeId>
212         <serviceTypeShortName>Bus-Roster</serviceTypeShortName>
213     </availableServiceType>
214     <availableServiceType index="2">
215         <serviceTypeId>108666</serviceTypeId>
216         <serviceTypeShortName>Taxi/Livery</serviceTypeShortName>
217     </availableServiceType>
218     <availableServiceType index="3">
219         <serviceTypeId>108662</serviceTypeId>
220         <serviceTypeShortName>Ambulatory</serviceTypeShortName>
221     </availableServiceType>
222     <availableServiceType index="4">
223         <serviceTypeId>108667</serviceTypeId>
224         <serviceTypeShortName>Stretcher</serviceTypeShortName>
225     </availableServiceType>
226     <availableServiceType index="5">
227         <serviceTypeId>108661</serviceTypeId>
228         <serviceTypeShortName>Ambulance-BLS</serviceTypeShortName>
229     </availableServiceType>
230     <availableServiceType index="6">
231         <serviceTypeId>108660</serviceTypeId>
232         <serviceTypeShortName>Ambulance-ALS</serviceTypeShortName>
233     </availableServiceType>
234 </availableServiceTypes>
235 <serviceCapacities>
236     <serviceType id="108660">
237         <capacity maximumCapacity="99999" day="0">1</capacity>
238         <capacity maximumCapacity="99999" day="1">2</capacity>
239         <capacity maximumCapacity="99999" day="2">3</capacity>

```

```

240     <capacity maximumCapacity="99999" day="3">4</capacity>
241     <capacity maximumCapacity="99999" day="4">5</capacity>
242     <capacity maximumCapacity="99999" day="5">6</capacity>
243     <capacity maximumCapacity="99999" day="6">7</capacity>
244     </serviceType>
245     ...
246 </serviceCapacities>
247 <serviceAreas count="1">
248     <serviceAreaId>1932</serviceAreaId>
249     <label>Test South</label>
250     <serviceTypeIds count="1">
251         <id>108667</id>
252     </serviceTypeIds>
253     <zipcodes count="120">
254         <zip>12041</zip>
255         <zip>12045</zip>
256         <zip>12046</zip>
257         <zip>12047</zip>
258         ...
259     </zipcodes>
260     <availability count="7">
261         <day>0</day>
262         <open>0000</open>
263         <closed>2400</closed>
264         <day>1</day>
265         <open>0000</open>
266         <closed>2400</closed>
267         <day>2</day>
268         <open>0000</open>
269         <closed>2400</closed>
270         <day>3</day>
271         <open>0000</open>
272         <closed>2400</closed>
273         <day>4</day>
274         <open>0000</open>
275         <closed>2400</closed>
276         <day>5</day>
277         <open>0000</open>
278         <closed>2400</closed>
279         <day>6</day>
280         <open>0000</open>
281         <closed>2400</closed>
282     </availability>
283 </serviceAreas>
284 <can_toggle_schedule>true</can_toggle_schedule>
285 <ambulanceService>true</ambulanceService>
286 <isUnifiedInUse>true</isUnifiedInUse>
287 </transportationProviderProfile>
288 </TPResponse>

```

JSON

```

1 {
2   "TPResponse": {
3     "mode": "Production",
4     "callStatus": "1000",
5     "callMessage": "Success.",
6     "transportationProviderProfile": {
7       "version": "1",
8       "responseStatus": "1000",
9       "responseMessage": "Success.",

```

```
10     "Status": "1",
11     "Company_Name": "Training Vendor",
12     "FAX": "",
13     "Owner_First_Name": "Mike",
14     "Owner_Last_Name": "Collins",
15     "Owner_Phone": "6502791266",
16     "Owner_Email": "Mcollins@email.com",
17     "Operations_Manager_First_Name": "operationsTest",
18     "Operations_Manager_Last_Name": "managerTest",
19     "Operations_Manager_Phone": "6502791288",
20     "Operations_Manager_Email": "operationsManager@email.com",
21     "Dispatch_First_Name": "Terri",
22     "Dispatch_Last_Name": "Collins",
23     "Dispatch_Phone": "6502791277",
24     "Dispatch_Email": "Tcollins@email.com",
25     "Contact_1_First_Name": "testContact1",
26     "Contact_1_Last_Name": "testersonContact1",
27     "Contact_1_Phone": "6502796577",
28     "Contact_1_Email": "testTesterson1@gmail.com",
29     "Contact_2_First_Name": "testContact2",
30     "Contact_2_Last_Name": "testersonContact2",
31     "Contact_2_Phone": "6502796588",
32     "Contact_2_Email": "testTesterson2@gmail.com",
33     "Provider_ID": "TRAINING",
34     "Contact_Method": "",
35     "Business_Hours": "",
36     "Tax_ID": "",
37     "Use_Schedule": true,
38     "Monday_Start_Time": "00:00",
39     "Monday_End_Time": "24:00",
40     "Tuesday_Start_Time": "00:00",
41     "Tuesday_End_Time": "24:00",
42     "Wednesday_Start_Time": "00:00",
43     "Wednesday_End_Time": "24:00",
44     "Thursday_Start_Time": "00:00",
45     "Thursday_End_Time": "24:00",
46     "Friday_Start_Time": "00:00",
47     "Friday_End_Time": "24:00",
48     "Saturday_Start_Time": "00:00",
49     "Saturday_End_Time": "24:00",
50     "Sunday_Start_Time": "00:00",
51     "Sunday_End_Time": "24:00",
52     "Monday_Set_Hours_Available": "",
53     "Tuesday_Set_Hours_Available": "",
54     "Wednesday_Set_Hours_Available": "",
55     "Thursday_Set_Hours_Available": "",
56     "Friday_Set_Hours_Available": "",
57     "Saturday_Set_Hours_Available": "",
58     "Sunday_Set_Hours_Available": "",
59     "Display_on_Public_Site": true,
60     "Local_Payment": false,
61     "Include_In_Rotation": false,
62     "address_detail_id": "24440368",
63     "SameDayCall": true,
64     "NextDayCall": true,
65     "mailing_address_detail_id": "24440369",
66     "Is_RideHail": false,
67     "Use_Daily_Ride_Capacity": true,
68     "Monday_Daily_Ride_Capacity": "1000",
69     "Tuesday_Daily_Ride_Capacity": "1000",
```

```

70     "Wednesday_Daily_Ride_Capacity": "50",
71     "Thursday_Daily_Ride_Capacity": "50",
72     "Friday_Daily_Ride_Capacity": "50",
73     "Saturday_Daily_Ride_Capacity": "40",
74     "Sunday_Daily_Ride_Capacity": "1000",
75     "Routing_Company_ID": "1",
76     "Billing_Company_ID": "2",
77     "Comments": "",
78     "IsDOHApprovalLetterActive": false,
79     "IsMedNyRegistrationActive": false,
80     "IsTLCActive": true,
81     "IsGPSCapabilitiesActive": true,
82     "IsMASContractAgreementsCompleted": true,
83     "IsDrugFreeWorkplace": true,
84     "IsMASOrientationComplete": true,
85     "IsCompanyExclusionCheckStatusActive": false,
86     "CompanyExclusionDate": "",
87     "IsOwnerExclusionCheckStatusActive": false,
88     "OwnerExclusionCheckDate": "",
89     "IsOperationsManagerExclusionCheckStatusActive": false,
90     "OperationsManagerExclusionCheckDate": "",
91     "IsContact1ExclusionCheckStatusActive": false,
92     "Contact1ExclusionCheckDate": "",
93     "IsContact2ExclusionCheckStatusActive": false,
94     "Contact2ExclusionCheckDate": "",
95     "NPINumber": "1234567891",
96     "Unavailable_Dates": [
97         "06/10/2019",
98         "06/11/2019",
99         "06/12/2019",
100        "06/14/2019",
101        "06/24/2021",
102        "07/11/2021",
103        "08/20/2021",
104        "08/21/2021",
105        "12/08/2021",
106        "01/01/2022"
107    ],
108     "Service_Codes": [
109         {
110             "ID": "839079",
111             "Status": "1",
112             "Trans_Type_ID": "108666",
113             "Service": "Taxi-Essex",
114             "Procedure_Code": "A0100",
115             "Procedure_Code_Mod": "",
116             "Rate": "8.82"
117         },
118         ...
119         {
120             "ID": "841748",
121             "Status": "1",
122             "Trans_Type_ID": "108663",
123             "Service": "Wheelchair/MN-Hospital Discharge IB",
124             "Procedure_Code": "A0130",
125             "Procedure_Code_Mod": "TG",
126             "Rate": "45.00"
127         }
128     ],
129     "Drivers": [

```

```

130     {
131         "ID": "1648973",
132         "Status": "1",
133         "First_Name": "chuck",
134         "Last_Name": "blue",
135         "License": "123455677",
136         "Expiration": "11/10/2021",
137         "Email_Address": "test@email.com",
138         "Birth_Date": "10/20/1962",
139         "CTAA_Email_Address": "test1937900@ctaa.org",
140         "MVR_Check_Date": "",
141         "MVR_Check_Status": "0"
142     },
143     ...
144     {
145         "ID": "1785166",
146         "Status": "1",
147         "First_Name": "Fred",
148         "Last_Name": "Burghardt",
149         "License": "580082674",
150         "Expiration": "10/16/2025",
151         "Email_Address": "test@email.com",
152         "Birth_Date": "10/20/1962",
153         "CTAA_Email_Address": "test1937908@ctaa.org",
154         "MVR_Check_Date": "",
155         "MVR_Check_Status": "0"
156     }
157 ],
158 "Vehicles": [
159     {
160         "ID": "1418507",
161         "Status": "0",
162         "Vehicle_Type": "betsy",
163         "Vehicle_Name": "Livery",
164         "License": "abc123",
165         "Expiration": "10/31/2022",
166         "Vin": "1ABCD23E58DB07T56",
167         "Vehicle_Year": "2008",
168         "Vehicle_Make": "FORD",
169         "Vehicle_Model": "E-350",
170         "Vehicle_Color": "blue",
171         "Capacity_Taxi_Livery": "12",
172         "Capacity_Ambulatory": "0",
173         "Capacity_Wheelchair": "0",
174         "Capacity_Stretcher": "0",
175         "Capacity_BLS": "0",
176         "Capacity_ALS": "0",
177         "DMV_Registration_Status": "1"
178     },
179     ...
180     {
181         "ID": "1420507",
182         "Status": "1",
183         "Vehicle_Type": "Trainer Van",
184         "Vehicle_Name": "Livery",
185         "License": "TestVeh",
186         "Expiration": "10/17/2021",
187         "Vin": "1WXYZ31L58DB07T97",
188         "Vehicle_Year": "2018",
189         "Vehicle_Make": "FORD",

```



```

190     "Vehicle_Model": "E-350",
191     "Vehicle_Color": "Gray",
192     "Capacity_Taxi_Livery": "12",
193     "Capacity_Ambulatory": "0",
194     "Capacity_Wheelchair": "0",
195     "Capacity_Stretcher": "0",
196     "Capacity_BLS": "0",
197     "Capacity_ALS": "0",
198     "DMV_Registration_Status": "1"
199   }
200 ],
201 "serviceZipcodes": [
202   {
203     "zipcode": "10001",
204     "county": "New York",
205     "address_county_id": "31"
206   },
207   ...
208   {
209     "zipcode": "14905",
210     "county": "Chemung",
211     "address_county_id": "8"
212   }
213 ],
214 "availableServiceTypes": [
215   {
216     "serviceTypeId": "114606",
217     "serviceTypeShortName": "Bus-Roster"
218   },
219   {
220     "serviceTypeId": "108666",
221     "serviceTypeShortName": "Taxi/Livery"
222   },
223   {
224     "serviceTypeId": "108662",
225     "serviceTypeShortName": "Ambulatory"
226   },
227   {
228     "serviceTypeId": "108667",
229     "serviceTypeShortName": "Stretcher"
230   },
231   {
232     "serviceTypeId": "108661",
233     "serviceTypeShortName": "Ambulance-BLS"
234   },
235   {
236     "serviceTypeId": "108660",
237     "serviceTypeShortName": "Ambulance-ALS"
238   }
239 ],
240 "serviceCapacities": [
241   {
242     "serviceTypeId": "108660",
243     "days": [
244       {
245         "day": "0",
246         "capacity": "1",
247         "maximumCapacity": "99999"
248       },
249       {

```

```

250         "day": "1",
251         "capacity": "2",
252         "maximumCapacity": "99999"
253     },
254     {
255         "day": "2",
256         "capacity": "3",
257         "maximumCapacity": "99999"
258     },
259     {
260         "day": "3",
261         "capacity": "4",
262         "maximumCapacity": "99999"
263     },
264     {
265         "day": "4",
266         "capacity": "5",
267         "maximumCapacity": "99999"
268     },
269     {
270         "day": "5",
271         "capacity": "6",
272         "maximumCapacity": "99999"
273     },
274     {
275         "day": "6",
276         "capacity": "7",
277         "maximumCapacity": "99999"
278     }
279 ]
280 },
281 ...
282 ],
283 "serviceAreas": [
284     {
285         "serviceAreaId": "1932",
286         "label": "Test South",
287         "SA_ID": "3138",
288         "SA_Dispatch_First_Name": "Louie",
289         "SA_Dispatch_Last_Name": "De Palma",
290         "SA_Dispatch_Phone": "1231231234",
291         "SA_Dispatch_Phone_Ext": "4321",
292         "SA_Dispatch_Email": "louie.de.palma@email.com",
293         "serviceTypeIds": [
294             "108667"
295         ],
296         "zipcodes": [
297             "12041",
298             "12045",
299             "12046",
300             "14895",
301             "14897"
302         ],
303         "availability": [
304             {
305                 "day": "0",
306                 "open": "0000",
307                 "closed": "2400"
308             },
309             {

```

```
310         "day": "1",
311         "open": "0000",
312         "closed": "2400"
313     },
314     {
315         "day": "2",
316         "open": "0000",
317         "closed": "2400"
318     },
319     {
320         "day": "3",
321         "open": "0000",
322         "closed": "2400"
323     },
324     {
325         "day": "4",
326         "open": "0000",
327         "closed": "2400"
328     },
329     {
330         "day": "5",
331         "open": "0000",
332         "closed": "2400"
333     },
334     {
335         "day": "6",
336         "open": "0000",
337         "closed": "2400"
338     }
339 ]
340 },
341 ...
342 ],
343 "can_toggle_schedule": true,
344 "ambulanceService": true,
345 "isUnifiedInUse": true,
346 "canAccessDriverApp": true
347 }
348 }
349 }
```

Vehicle

Vehicle APIs

The collection of Vehicle APIs, includes getter and setter endpoints for managing company vehicles.

API List

- ListVehicles
- VehicleUpdate
- FindVehicleByVIN

ListVehicles

[ListVehicles](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

ListVehicles

 v1

{replace this text with Descriptive Narrative of the API}

Request Elements	Required or Optional	Type	Definition
Session Identifier	Required	{sessionId}	Session Identifier
allVehicles	Optional	{boolean}	true/false show all vehicles

Request Examples

XML	<pre> 1 <TPRequest> 2 <listVehicles> 3 <sessionIdIdentifier>{{sessionIdIdentifier}}</sessionIdIdentifier> 4 </listVehicles> 5 </TPRequest> </pre>
JSON	<pre> 1 { 2 "TPRequest": { 3 "sessionIdIdentifier": "{{sessionIdIdentifier}}", 4 "call": "listVehicles", 5 "version":1 6 } 7 } </pre>

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responseStatus	Required	{int}	1000, 3060
responseMessage	Required	{shortstring}	See response chart
vehicles	Required	{element}	Element with (int) count attribute
vehicle	Required	{element}	Element with (int) id attribute
Status	Required	{int}	Vehicle Status
Vehicle Type	Required	{string}	Vehicle Type
License	Required	{string}	Vehicle license number
Expiration	Required	{datetime}	Vehicle license expiration
Vehicle Name	Required	{shortstring}	Vehicle name

MedicaidCountyNumber	Required	{int}	Medicaid county number
----------------------	----------	-------	------------------------

Response Examples

XML

```

1 <?xml version="1.0" encoding="utf-8" ?>
2 <TPResponse mode="Production">
3   <callStatus>1000</callStatus>
4   <callMessage><![CDATA[Success.]]></callMessage>
5   <listVehicles version="1">
6     <responseStatus>1000</responseStatus>
7     <responseMessage><![CDATA[Success.]]></responseMessage>
8     <vehicles count="61">
9       <vehicle id="1688169">
10        <Status>1</Status>
11        <Vehicle_Type><![CDATA[Taxi]]></Vehicle_Type>
12        <License><![CDATA[PERF 2234]]></License>
13        <Expiration><![CDATA[01/01/2033 00:00:00]]></Expiration>
14        <Vehicle_Name><![CDATA[PerfectoTestCar2]]></Vehicle_Name>
15        <MedicaidCountyNumber><![CDATA[99]]></MedicaidCountyNumber>
16      </vehicle>
17      ...
18      <vehicle id="1472407">
19        <Status>1</Status>
20        <Vehicle_Type><![CDATA[Ambulance]]></Vehicle_Type>
21        <License><![CDATA[0993824]]></License>
22        <Expiration><![CDATA[06/04/2021 00:00:00]]></Expiration>
23        <Vehicle_Name><![CDATA[run]]></Vehicle_Name>
24        <MedicaidCountyNumber><![CDATA[99]]></MedicaidCountyNumber>
25      </vehicle>
26    </vehicles>
27  </listVehicles>
28 </TPResponse>

```

JSON

```

1 {
2   "TPResponse": {
3     "mode": "Production",
4     "callStatus": "1000",
5     "callMessage": "Success.",
6     "listVehicles": {
7       "version": "1",
8       "responseStatus": "1000",
9       "responseMessage": "Success.",
10      "vehicles": [
11        {
12          "ID": 1688169,
13          "Vehicle_Name": "PerfectoTestCar2",
14          "Vehicle_Type": "Taxi",
15          "Status": 1,
16          "License": "PERF 2234",
17          "Expiration": "01/01/2033 00:00:00",
18          "MedicaidCountyNumber": "99"
19        },
20        ...
21        {
22          "ID": 1472407,
23          "Vehicle_Name": "run",
24          "Vehicle_Type": "Ambulance",
25          "Status": 1,

```

```
26         "License": "0993824",
27         "Expiration": "06/04/2021 00:00:00",
28         "MedicaidCountyNumber": "99"
29     }
30 ]
31 }
32 }
33 }
```

[ListVehicles](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

VehicleUpdate

[VehicleUpdate](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

VehicleUpdate

 v4

Updates existing vehicle records OR creates a new vehicle record if it does not already exist.

- Will match existing Transportation Provider vehicles by vehicleRegistration and update all instances across various county configurations.
- Prior to unification (county 99), vehicles were configured in each Medicaid county that the Transportation Provider services.
- Helps to keep vehicle updates synced across multiple counties.
- The response contains an array of records because it is possible for the same “vehicle” to be matched in multiple counties.
- The 'registrationId' is the 'listVehicles' response element 'License'.

Request Elements	Required or Optional	Type	Definition
sessionIdentifier	Required	{sessionId}	Session identifier
status	Required	{bool}	Boolean value if active (0/1)
vin	Optional	{string}	Vehicle identification number
vehicleYear	Optional	{int}	Vehicle year
vehicleMake	Optional	{string}	Vehicle model
vehicleModel	Optional	{string}	Vehicle model
vehicleColor	Optional	{string}	vehicle color
vehicleName	Required	{string}	Vehicle name
vehicleType	Required	{string}	Vehicle type
registrationId	Required	{string}	Vehicle registration
expirationDate	Required	{date}	Vehicle registration expiration
capacityTaxiLivery	Optional	{int}	Vehicle taxi/livery capacity
capacityAmbulatory	Optional	{int}	vehicle ambulatory capacity
capacityWheelchair	Optional	{int}	vehicle wheelchair capacity
capacityStretcher	Optional	{int}	vehicle stretcher capacity
capacityBLS	Optional	{int}	vehicle BLS capacity
capacityALS	Optional	{int}	vehicle ALS capacity
newVehicleName	Optional	{string}	new vehicle name. • NOTE: if “ADD” request is flagged to specifically insert
newRegistrationId	Optional	{string}	new vehicle license plate

- NOTE: if “ADD” request is flagged to specifically insert

Request Examples

XML

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <TPRequest>
3   <VehicleUpdate version="4">
4     <sessionIdentifier>{{sessionIdentifier}}</sessionIdentifier>
5     <status>0</status>
6     <vehicleName>ford650-3</vehicleName>
7     <vehicleType>Livery</vehicleType>
8     <registrationId>AZ12350</registrationId>
9     <expirationDate>03/31/2024</expirationDate>
10    <vin>3FRNF65294V607743</vin>
11    <vehicleYear>2004</vehicleYear>
12    <vehicleMake>FORD</vehicleMake>
13    <vehicleModel>F-650</vehicleModel>
14    <vehicleColor>Red White</vehicleColor>
15    <capacityTaxiLivery>10</capacityTaxiLivery>
16    <capacityAmbulatory>0</capacityAmbulatory>
17    <capacityWheelchair>0</capacityWheelchair>
18    <capacityStretcher>0</capacityStretcher>
19    <capacityBLS>0</capacityBLS>
20    <capacityALS>0</capacityALS>
21    <newVehicleName>ADD</newVehicleName>
22    <newRegistrationId>ADD</newRegistrationId>
23  </VehicleUpdate>
24 </TPRequest>
```

JSON

```
1 {
2   "sessionIdentifier": "{{sessionIdentifier}}",
3   "call": "VehicleUpdate",
4   "version": 4,
5   "status": "0",
6   "vehicleName": "ford650",
7   "vehicleType": "Livery",
8   "registrationId": "AZ12347",
9   "expirationDate": "09/30/2023",
10  "vin": "3FRNF65W38V652458",
11  "vehicleYear": "2008",
12  "vehicleMake": "FORD",
13  "vehicleModel": "F-650",
14  "vehicleColor": "White",
15  "capacityTaxiLivery": "10",
16  "capacityAmbulatory": "0",
17  "capacityWheelchair": "0",
18  "capacityStretcher": "0",
19  "capacityBLS": "0",
20  "capacityALS": "0",
21  "newVehicleName": "ADD",
22  "newRegistrationId": "ADD"
23 }
```

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
VehicleUpdate	Required	{string}	1000, 40XX
responseStatus	Required	{int}	See response chart
vehicleId	Required	{int}	Vehicle object id
updateStatus	Required	{string}	Added / Updated
vehicleName	Required	{string}	Vehicle name
vehicleType	Required	{string}	Vehicle type
vehicleStatus	Required	{bool}	Active status (true / false)
vehicleRegistration	Required	{string}	Vehicle registration number
vin	Required	{string}	Vehicle identification number
color	Required	{string}	Vehicle color
year	Required	{int}	Vehicle year
make	Required	{string}	Vehicle make
model	Required	{string}	Vehicle model
capacityTaxiLivery	Required	{int}	Vehicle taxi/livery capacity
capacityAmbulatory	Required	{int}	Vehicle ambulatory capacity
capacityWheelchair	Required	{int}	Vehicle wheelchair capacity
capacityStretcher	Required	{int}	Vehicle stretcher capacity
capacityBLS	Required	{int}	Vehicle BLS capacity
capacityALS	Required	{int}	Vehicle ALS capacity
vehicleRegistrationExpiration	Required	{date}	Vehicle expiration date
dateModified	Required	{date}	Date this vehicle record was last updated

Response Examples

XML

```

1 <?xml version="1.0" encoding="utf-8" ?>
2 <TPResponse mode="Production">
3   <callStatus>1000</callStatus>
4   <callMessage>
5     <![CDATA[Success.]]>
6   </callMessage>
7   <VehicleUpdate version="4">
8     <responseStatus>1000</responseStatus>
9     <responseMessage>

```

```

10      <![CDATA[Success.]]>
11    </responseMessage>
12    <record>
13      <vehicleId>1690227</vehicleId>
14      <updateStatus>Added</updateStatus>
15      <vehicleName>ford650-3</vehicleName>
16      <vehicleType>Livery</vehicleType>
17      <vehicleStatus>0</vehicleStatus>
18      <vehicleRegistration>AZ12350</vehicleRegistration>
19      <vin>3FRNF65294V607743</vin>
20      <color>Red White</color>
21      <year>2004</year>
22      <make>Ford</make>
23      <model>F-650</model>
24      <capacityTaxiLivery>10</capacityTaxiLivery>
25      <capacityAmbulatory></capacityAmbulatory>
26      <capacityWheelchair></capacityWheelchair>
27      <capacityStretcher></capacityStretcher>
28      <capacityBLS></capacityBLS>
29      <capacityALS></capacityALS>
30      <vehicleRegistrationExpiration>03/31/2024 00:00:00</vehicleRegistrationExpiration>
31      <dateModified>08/31/2023 15:07:54</dateModified>
32    </record>
33  </VehicleUpdate>
34 </TPResponse>

```

JSON

```

1  {
2    "TPResponse": {
3      "mode": "Production",
4      "callStatus": "1000",
5      "callMessage": "Success.",
6      "VehicleUpdate": {
7        "version": "4",
8        "responseStatus": "1000",
9        "responseMessage": "Success.",
10       "records": [
11         {
12           "vehicleId": "1690226",
13           "updateStatus": "Added",
14           "vehicleName": "ford650",
15           "vehicleType": "Livery",
16           "vehicleStatus": "1",
17           "vehicleRegistration": "AZ12347",
18           "vin": "3FRNF65W38V652458",
19           "color": "White",
20           "year": 2008,
21           "make": "",
22           "model": "2008",
23           "capacityTaxiLivery": 10,
24           "capacityAmbulatory": null,
25           "capacityWheelchair": 0,
26           "capacityStretcher": 0,
27           "capacityBLS": 0,
28           "capacityALS": 0,
29           "vehicleRegistrationExpiration": "09/30/2023 00:00:00",
30           "dateModified": "08/30/2023 13:22:11"

```

```
31     }
32   ]
33 }
34 }
35 }
```

[VehicleUpdate](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

FindVehicleByVIN

[FindVehicleByVIN](#) | [Request Elements](#) | [Request Examples](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [JSON](#)

FindVehicleByVIN



Returns the current status that MAS has received from NY State DMV regarding a specific VIN.

Request Elements	Required or Optional	Type	Definition
sessionIdentifier	Required	{sessionId}	Session identifier
status	Required	{bool}	Boolean value if active (0/1)
vin	Required	{string}	Vehicle identification number

Request Examples


XML	<p> 6015 = Invalid Request</p> <ul style="list-style-type: none"> Request must use JSON
JSON	<pre> 1 { 2 "TPRequest": { 3 "sessionIdentifier": "{{sessionIdentifier}}", 4 "call": "findVehicleByVin", 5 "version": 1, 6 "vin": "AAPV0120470409401" 7 } 8 }</pre>

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
findVehicleByVin	Required	{string}	1000, 40XX
responseStatus	Required	{int}	See response chart
vehicle	Optional	{object}	Vehicle response object
recordType	Required	{string}	Vehicle record type
vin	Required	{string}	VIN number
registrationClass	Required	{string}	Registration Class
city	Required	{string}	Registered City
state	Required	{string}	Registered State
zip	Required	{string}	Registered Zip

county	Required	{string}	Registered County
modelYear	Required	{int}	Vehicle model year
model	Required	{string}	Vehicle model
make	Required	{string}	Vehicle make
fuelType	Required	{string}	Fuel type
passengers	Required	{string}	Number of passengers
unladenWeight	Required	{string}	Vehicle weight
maximumGrossWeight	Required	{int}	Maximum gross weight
regValidDate	Required	{date}	Registration valid date
regExpirationDate	Required	{date}	Registration expiration date
color	Required	{string}	Vehicle color
scofflawIndicator	Required	{boolean}	Outstanding scofflaws against vehicle
suspensionIndication	Required	{boolean}	Outstanding suspension against vehicle
revocationIndicator	Required	{boolean}	Vehicle title or registration has been revoked
bodyType	Required	{string}	Vehicle body type
createdDate	Required	{datetime}	Record created date time

Response Examples

XML

-  6014 = Invalid Accept
- Must use JSON

JSON

```

1 {
2   "TPResponse": {
3     "mode": "Production",
4     "callStatus": "1000",
5     "callMessage": "Success.",
6     "findVehicleByVin": {
7       "version": "1",
8       "responseStatus": "1000",
9       "responseMessage": "Success.",
10      "vehicle": {
11        "recordType": "VEH",
12        "vin": "AAPV0120470409401",
13        "registrationClass": "PAS",
14        "city": "EAGLE BAY",
15        "state": "NY",
16        "zip": "13331",
17        "county": "HAMILTON",
18        "modelYear": "1989",
19        "model": "1989",

```

```
20     "make": "LNDR",
21     "fuelType": "GAS",
22     "passengers": null,
23     "unladenWeight": "4200",
24     "maximumGrossWeight": null,
25     "regValidDate": "2022/06/21",
26     "regExpirationDate": "2024/08/14",
27     "color": "White",
28     "scofflawIndicator": false,
29     "suspensionIndicator": false,
30     "revocationIndicator": false,
31     "bodyType": "SUBURBAN",
32     "createdDate": "2023/08/18 16:24:10"
33   }
34 }
35 }
36 }
```

[FindVehicleByVIN](#) | [Request Elements](#) | [Request Examples](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [JSON](#)

Driver

Driver APIs

The collection of Driver APIs, includes getter and setter endpoints for managing company drivers.

API List

- ListDrivers
- GetDriver
- NewDriver
- UpdateDriver
- DisableDriver
- EnableDriver

ListDrivers

[ListDrivers](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

ListDrivers

 v5

List the drivers registered for this Transportation Provider.

- Some of the “driver” API calls require a unique driver ID that represents the primary key id used in the database.
- ListDrivers returns this value as “ID” in the response. In XML it is an attribute and in the JSON response it is an element.
- The Driver ID can also be retrieved from Transportation Provider Profile.

Request Elements	Required or Optional	Type	Definition
List Drivers version	Required	{int}	Version of the List Drivers Call
Session Identifier	Required.	{sessionId}	Session Identifier
disabled	Required	{bool}	<ul style="list-style-type: none"> • “0” Returns “Inactive” / NOT “Active” drivers • “1” Returns “Active” drivers
profileID	Optional	{int}	Transportation Provider Id
allDrivers	Optional	{boolean}	Show all drivers (overrides the required disabled request param)

Request Examples

XML

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <TPRequest>
3   <listDrivers version="5">
4     <sessionIdIdentifier>{{sessionIdIdentifier}}</sessionIdIdentifier>
5     <disabled>0</disabled>
6   </listDrivers>
7 </TPRequest>

```

JSON

```

1 {
2   "TPRequest": {
3     "sessionIdIdentifier": "{{sessionIdIdentifier}}",
4     "call": "listDrivers",
5     "version": 5,
6     "disabled": "0",
7     "allDrivers": true
8   }
9 }

```

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples

Call Status	Required	{int}	1000, 40XX
Call Message	Required.	{int}	The success of the message
List Drivers Version	Required.	{int}	The version of the call for the list of drivers
responseStatus	Required	{int}	Response success or error code
responseMessage	Required	{string}	Response message "success" or error message
Driver Count	Required.	{int}	The number of drivers returned (xml attribute only)
ID	Required.	{int}	The id of the driver returned
Status	Required	{int}	Driver status
First Name	Required.	{shortstring}	The first name of the driver – this will repeat for each driver returned
Last Name	Required.	{shortstring}	The last name of the driver – this will repeat for each driver returned
Expiration	Required	{datetime}	The drivers license expiration
License	Required	{int}	The status of the call (Success or error)
LicenseState	Required	{string}	State that issued the drivers license
MedicaidCountyNumber	Required	{int}	TP's Medicaid county number this driver is connected with. County 99 is unified across all
allowLogin	Required	{bool}	True/False allow driver to login
Phone_Number	Required	{phone}	Driver's phone number
Email_Address	Required	{email}	Driver's email address
Birth_Date	Required (JSON Only)	{date}	Driver's birthdate
CTAA_Email_Address	Required (JSON Only)	{email}	Email address used for certification via CTAA
MVR_Check_Date	Required (JSON Only)	{date}	MVR last checked date
MVR_Check_Status	Required (JSON Only)	{boolean}	Status of the MVR check
DriverTraining	Required (JSON Only)	{array}	Driver training array of objects (or empty)
ID	Required (JSON Only)	{int}	Internal record ID for the training record

Trans_Provider_Driver_ID	Required (JSON Only)	{int}	Transportation provider driver ID
Certificate_ID	Required (JSON Only)	{int}	Internal record ID for certificate type
Training_Name	Required (JSON Only)	{string}	Type of training (name)
Certificate_Expiration	Required (JSON Only)	{date}	Expiration of the certificate
TP_Flagged	Required (JSON Only)	{boolean}	Is the transportation provider flagged
TP_Flagged_Reason	Required (JSON Only)	{string}	Reason the transportation provider is flagged
DriverExclusions	Required (JSON Only)	{array}	Driver exclusions array of objects (or empty)
ID	Required (JSON Only)	{int}	Internal record ID for the exclusion
Trans_Provider_Driver_ID	Required (JSON Only)	{int}	Transportation provider driver ID
Exclusion_LastCheck_Date	Required (JSON Only)	{date}	Last time that exclusions were checked for
Exclusion_NextCheck_Date	Required (JSON Only)	{date}	Next time the exclusions will be checked for
Exclusion_Check_Status	Required (JSON Only)	{boolean}	Are there any exclusions for the driver?
DMF	Required (JSON Only)	{boolean}	DMF Exclusion
OMIG	Required (JSON Only)	{boolean}	OMIG Exclusion
SAM	Required (JSON Only)	{boolean}	SAM Exclusion
OIG	Required (JSON Only)	{boolean}	OIG Exclusion
OTHER	Required (JSON Only)	{boolean}	OTHER exclusion

Response Examples

XML

```
1 <?xml version="1.0" encoding="utf-8" ?>
2 <TPResponse mode="Production">
3   <callStatus>1000</callStatus>
4   <callMessage>
5     <![CDATA[Success.]]>
6   </callMessage>
7   <listDrivers version="5">
8     <responseStatus>1000</responseStatus>
9     <responseMessage>
10      <![CDATA[Success.]]>
11    </responseMessage>
12    <drivers count="65">
13      <driver id="1837371">
14        <Status>0</Status>
15        <First_Name>Brian</First_Name>
16        <Last_Name>ASHer</Last_Name>
17        <Expiration>08/06/2026 00:00:00</Expiration>
18        <License>wqeqeqwer</License>
19        <LicenseState>HI</LicenseState>
20        <MedicaidCountyNumber>99</MedicaidCountyNumber>
21        <allowLogin>1</allowLogin>
22        <Phone_Number>555-555-5454</Phone_Number>
23        <Email_Address>
24          <![CDATA[po190m@gmail.com]]>
25        </Email_Address>
26        <MedicaidCountyNumber>99</MedicaidCountyNumber>
27        <Birth_Date></Birth_Date>
28        <CTAA_Email_Address>
29          <![CDATA[po190m@gmail.com]]>
30        </CTAA_Email_Address>
31        <MVR_Check_Date></MVR_Check_Date>
32        <MVR_Check_Status></MVR_Check_Status>
33        <Last_Update>08/22/2023</Last_Update>
34        <Social_Security_Number></Social_Security_Number>
35        <Exclusion_Check_Status>>false</Exclusion_Check_Status>
36        <driverTraining>
37          <ID>1</ID>
38          <Trans_Provider_Driver_ID>1837371</Trans_Provider_Driver_ID>
39          <Certificate_ID>1</Certificate_ID>
40          <Training_Name>MAS Driver Education</Training_Name>
41          <Certificate_Expiration>10/04/2024</Certificate_Expiration>
42          <ID>2</ID>
43          <Trans_Provider_Driver_ID>1837371</Trans_Provider_Driver_ID>
44          <Certificate_ID>2</Certificate_ID>
45          <Training_Name>Basic PASS</Training_Name>
46          <Certificate_Expiration>11/05/2024</Certificate_Expiration>
47        </driverTraining>
48        <driverExclusions>
49          <Trans_Provider_Driver_ID>1837371</Trans_Provider_Driver_ID>
50          <ID>1</ID>
51          <Exclusion_Name>NYS OMIG</Exclusion_Name>
52          <Exclusion_LastCheck_Date>08/29/2023</Exclusion_LastCheck_Date>
53          <Exclusion_NextCheck_Date>09/29/2023</Exclusion_NextCheck_Date>
54          <DMF>>false</DMF>
55          <OMIG>>false</OMIG>
56          <SAM>>false</SAM>
57          <OIG>>false</OIG>
58          <OTHER>>false</OTHER>
59        </driverExclusions>
```

```

60     </driver>
61     ...
62     <driver id="1994037">
63         <Status>1</Status>
64         <First_Name>Bernie</First_Name>
65         <Last_Name>Barrett</Last_Name>
66         <Expiration>08/08/2025 00:00:00</Expiration>
67         <License>45632187</License>
68         <LicenseState>NY</LicenseState>
69         <MedicaidCountyNumber>99</MedicaidCountyNumber>
70         <allowLogin>1</allowLogin>
71         <Phone_Number>5187896523</Phone_Number>
72         <Email_Address>
73             <![CDATA[bb09876@gmail.com]]>
74         </Email_Address>
75         <MedicaidCountyNumber>99</MedicaidCountyNumber>
76         <Birth_Date></Birth_Date>
77         <CTAA_Email_Address>
78             <![CDATA[bb09876@gmail.com]]>
79         </CTAA_Email_Address>
80         <PASS_Basic_Expiration_Date></PASS_Basic_Expiration_Date>
81         <PASS_Full_Expiration_Date></PASS_Full_Expiration_Date>
82         <MASS_Driver_Ed_Expiration_Date></MASS_Driver_Ed_Expiration_Date>
83         <Exclusion_Check_Date></Exclusion_Check_Date>
84         <Exclusion_Check_Status></Exclusion_Check_Status>
85         <MVR_Check_Date></MVR_Check_Date>
86         <MVR_Check_Status></MVR_Check_Status>
87         <Last_Update>08/29/2023</Last_Update>
88         <Social_Security_Number></Social_Security_Number>
89         <Exclusion_Check_Status>false</Exclusion_Check_Status>
90         <driverTraining>
91         </driverTraining>
92         <driverExclusions>
93         </driverExclusions>
94     </driver>
95 </drivers>
96 </listDrivers>
97 </TPResponse>

```

JSON

```

1  {
2    "TPResponse": {
3      "mode": "Production",
4      "callStatus": "1000",
5      "callMessage": "Success.",
6      "listDrivers": {
7        "version": "5",
8        "responseStatus": "1000",
9        "responseMessage": "Success.",
10       "drivers": [
11         {
12           "ID": "1837371",
13           "Status": "0",
14           "First_Name": "Brian",
15           "Last_Name": "ASHer",
16           "Expiration": "08/06/2026 00:00:00",
17           "License": "wqeqewer",
18           "LicenseState": "HI",
19           "MedicaidCountyNumber": "99",
20           "allowLogin": 1,

```

```

21     "Phone_Number": "555-555-5454",
22     "Email_Address": "pol190m@gmail.com",
23     "Birth_Date": "",
24     "CTAA_Email_Address": "pol190m@gmail.com",
25     "MVR_Check_Date": "",
26     "MVR_Check_Status": "",
27     "Last_Update": "08/22/2023",
28     "Social_Security_Number": "",
29     "Exclusion_Check_Status": false,
30     "DriverTraining": [
31         {
32             "ID": "1",
33             "Trans_Provider_Driver_ID": "1837371",
34             "Certificate_ID": "1",
35             "Training_Name": "MAS Driver Education",
36             "Certificate_Expiration": "10/04/2024"
37         },
38         {
39             "ID": "2",
40             "Trans_Provider_Driver_ID": "1837371",
41             "Certificate_ID": "2",
42             "Training_Name": "Basic PASS",
43             "Certificate_Expiration": "11/05/2024"
44         }
45     ],
46     "DriverExclusions": [
47         {
48             "Trans_Provider_Driver_ID": "1837371",
49             "ID": "1",
50             "Exclusion_Name": "NYS OMIG",
51             "Exclusion_LastCheck_Date": "08/29/2023",
52             "Exclusion_NextCheck_Date": "09/29/2023",
53             "DMF": false,
54             "OMIG": false,
55             "SAM": false,
56             "OIG": false,
57             "OTHER": false
58         }
59     ]
60 },
61 ...
62 {
63     "ID": "1994037",
64     "Status": "1",
65     "First_Name": "Bernie",
66     "Last_Name": "Barrett",
67     "Expiration": "08/08/2025 00:00:00",
68     "License": "45632187",
69     "LicenseState": "NY",
70     "MedicaidCountyNumber": "99",
71     "allowLogin": 1,
72     "Phone_Number": "5187896523",
73     "Email_Address": "bb09876@gmail.com",
74     "Birth_Date": "",
75     "CTAA_Email_Address": "bb09876@gmail.com",
76     "PASS_Basic_Expiration_Date": "",
77     "PASS_Full_Expiration_Date": "",
78     "MASS_Driver_Ed_Expiration_Date": "",
79     "Exclusion_Check_Date": "",
80     "Exclusion_Check_Status": "",

```

```
81     "MVR_Check_Date": "",
82     "MVR_Check_Status": "",
83     "Last_Update": "08/29/2023",
84     "Social_Security_Number": "",
85     "DriverTraining": [],
86     "DriverExclusions": []
87   }
88 ]
89 }
90 }
91 }
```

GetDriver

[GetDriver](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

GetDriver v5

Returns information related to a specific Driver.

- Uses unique `driverId`.
- Response includes many details including the driver's credentialing and exclusion status.

Request Elements	Required or Optional	Type	Definition
sessionId	Required	{sessionId}	Session Id for the call
driverId	Required	{int}	Driver object id

Request Examples

XML

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <TPRequest>
3   <getDriver version="5">
4     <sessionId>{{sessionId}}</sessionId>
5     <driverId>1837371</driverId>
6   </getDriver>
7 </TPRequest>
```

JSON

```

1 {
2   "TPRequest": {
3     "sessionId": "{{sessionId}}",
4     "call": "getDriver",
5     "version": 5,
6     "driverId": 1837371
7   }
8 }
```

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responseStatus	Required	{int}	1000, 40XX
responseMessage	Required	{shortstring}	See response chart
ID	Required	{int}	Driver object id
Status	Required	{bool}	Driver status <ul style="list-style-type: none"> 1 active 0 not active
First_Name	Required	{string}	Driver First Name

Last_Name	Required	{string}	Driver Last Name
License	Required	{string}	Driver license
Expiration	Required	{date}	Driver license expiration
LicenseState	Required	{string}	Two char state abbreviation
MedicaidCountyNumber	Required	{int}	Medicaid county number
allowLogin	Required	{bool}	Boolean 0/1
PhoneNumber	Required	{phone}	Driver phone number
userName	Required	{string}	Driver username (if login true)
EmailAddress	Required	{email}	Driver email address
Birth_Date	Required	{date}	Driver birth date
CTAA_Email_Address	Required	{email}	Driver email address for CTAA
MVR_Check_Date	Required	{date}	MVR check date
MVR_Check_Status	Required		MVR status
tpId	Required	{int}	Transportation Provider internal id
Exclusion_Check_Status	Required	{boolean}	Does the driver have any exclusions?
DriverTraining	Required	{array}	Array of driver training records; will be an empty array if there are no records
DriverTraining ID	Required	{int}	Driver training internal id
DriverTraining Trans_Provider_Driver_ID	Required	{int}	Driver record internal id
DriverTraining Certificate_ID	Required	{int}	Driver certificate internal id
DriverTraining Training_Name	Required	{string}	Driver certificate name
DriverTraining Certificate_Expiration	Required	{date}	Driver certificate expiration date
DriverTraining TP_Flagged	Required	{boolean}	True/False if driver is flagged
DriverTraining TP_Flagged_Reason	Required	{string}	Description for why flagged
DriverExclusions	Required	{array}	Array of driver exclusion records; will be an empty array if there are no records
DriverExclusions ID	Required	{int}	Driver exclusion internal id
DriverExclusions Trans_Provider_Driver_ID	Required	{int}	Driver record internal id

DriverExclusions Exclusion_LastCheck_Date	Required	{date}	Date driver exclusion was last checked
DriverExclusions Exclusion_NextCheck_Date	Required	{date}	Next date the driver exclusion is checked
DriverExclusions DMF	Required	{boolean}	True if the driver has a DMF exclusion
DriverExclusions OMIG	Required	{boolean}	True if the driver has an OMIG exclusion
DriverExclusions SAM	Required	{boolean}	True if the driver has a SAM exclusion
DriverExclusions OIG	Required	{boolean}	True if the driver has an OIG exclusion
DriverExclusions OTHER	Required	{boolean}	True if the driver has an other exclusion
CtaaExpirationDate	Required	{date}	CTAA expiration date
LatestCertNum	Required	{int}	Latest certification number
LatestCertType	Required	{string}	Certificate name

Response Examples

XML

```
1 <?xml version="1.0" encoding="utf-8" ?>
2 <TPResponse mode="Production">
3   <callStatus>1000</callStatus>
4   <callMessage>
5     <![CDATA[Success.]]>
6   </callMessage>
7   <getDriver version="5">
8     <responseStatus>1000</responseStatus>
9     <responseMessage>
10      <![CDATA[Success.]]>
11    </responseMessage>
12    <drivers count="1">
13      <driver id="1837371">
14        <Status>0</Status>
15        <First_Name>Brian</First_Name>
16        <Last_Name>ASHer</Last_Name>
17        <Expiration>08/06/2026 00:00:00</Expiration>
18        <License>wqeqqwer</License>
19        <LicenseState>HI</LicenseState>
20        <MedicaidCountyNumber>99</MedicaidCountyNumber>
21        <allowLogin>1</allowLogin>
22        <PhoneNumber>555-555-5454</PhoneNumber>
23        <userName>basher705</userName>
24        <EmailAddress>
25          <![CDATA[pol190m@gmail.com]]>
26        </EmailAddress>
27        <Birth_Date></Birth_Date>
28        <CTAA_Email_Address>
29          <![CDATA[pol190m@gmail.com]]>
30        </CTAA_Email_Address>
31        <MVR_Check_Date></MVR_Check_Date>
32        <MVR_Check_Status></MVR_Check_Status>
33        <tpId>54066</tpId>
34        <Exclusion_Check_Status>true</Exclusion_Check_Status>
35        <driverTraining>
36          <Item>
37            <ID>1</ID>
38            <Trans_Provider_Driver_ID>1837371</Trans_Provider_Driver_ID>
39            <Certificate_ID>1</Certificate_ID>
40            <Training_Name>MAS Driver Education</Training_Name>
41            <Certificate_Expiration>10/04/2024</Certificate_Expiration>
42            <TP_Flagged>false</TP_Flagged>
43            <TP_Flagged_Reason></TP_Flagged_Reason>
44          </Item>
45          <Item>
46            <ID>2</ID>
47            <Trans_Provider_Driver_ID>1837371</Trans_Provider_Driver_ID>
48            <Certificate_ID>2</Certificate_ID>
49            <Training_Name>Basic PASS</Training_Name>
50            <Certificate_Expiration>11/05/2024</Certificate_Expiration>
51            <TP_Flagged>false</TP_Flagged>
52            <TP_Flagged_Reason></TP_Flagged_Reason>
53          </Item>
54        </driverTraining>
55        <driverExclusions>
56          <Item>
57            <ID>1</ID>
58            <Trans_Provider_Driver_ID>1837371</Trans_Provider_Driver_ID>
59            <Exclusion_LastCheck_Date>08/29/2023</Exclusion_LastCheck_Date>
```

```

60         <Exclusion_NextCheck_Date>09/29/2023</Exclusion_NextCheck_Date>
61         <DMF>false</DMF>
62         <OMIG>true</OMIG>
63         <SAM>false</SAM>
64         <OIG>true</OIG>
65         <OTHER>false</OTHER>
66     </Item>
67 </driverExclusions>
68 <CtaaExpirationDate></CtaaExpirationDate>
69 <LatestCertNum></LatestCertNum>
70 <LatestCertType></LatestCertType>
71 </driver>
72 </drivers>
73 </getDriver>
74 </TPResponse>

```

JSON

```

1  {
2    "TPResponse": {
3      "mode": "Production",
4      "callStatus": "1000",
5      "callMessage": "Success.",
6      "getDriver": {
7        "version": "5",
8        "responseStatus": "1000",
9        "responseMessage": "Success.",
10       "drivers": [
11         {
12           "ID": "1837371",
13           "Status": "0",
14           "First_Name": "Brian",
15           "Last_Name": "ASHer",
16           "Expiration": "08/06/2026 00:00:00",
17           "License": "wqeqeqwer",
18           "LicenseState": "HI",
19           "MedicaidCountyNumber": "99",
20           "allowLogin": 1,
21           "PhoneNumber": "555-555-5454",
22           "userName": "basher705",
23           "EmailAddress": "pol190m@gmail.com",
24           "Birth_Date": null,
25           "CTAA_Email_Address": "pol190m@gmail.com",
26           "MVR_Check_Date": null,
27           "MVR_Check_Status": null,
28           "tpId": null,
29           "Exclusion_Check_Status": true,
30           "DriverTraining": [
31             {
32               "ID": 1,
33               "Trans_Provider_Driver_ID": 1837371,
34               "Certificate_ID": 1,
35               "Training_Name": "MAS Driver Education",
36               "Certificate_Expiration": "10/04/2024",
37               "TP_Flagged": false,
38               "TP_Flagged_Reason": null
39             },
40             {
41               "ID": 2,
42               "Trans_Provider_Driver_ID": 1837371,
43               "Certificate_ID": 2,

```

```
44         "Training_Name": "Basic PASS",
45         "Certificate_Expiration": "11/05/2024",
46         "TP_Flagged": false,
47         "TP_Flagged_Reason": null
48     }
49 ],
50     "DriverExclusions": [
51     {
52         "ID": 1,
53         "Trans_Provider_Driver_ID": 1837371,
54         "Exclusion_LastCheck_Date": "08/29/2023",
55         "Exclusion_NextCheck_Date": "09/29/2023",
56         "DMF": false,
57         "OMIG": true,
58         "SAM": false,
59         "OIG": true,
60         "OTHER": false
61     }
62 ],
63     "CtaaExpirationDate": null,
64     "LatestCertNum": null,
65     "LatestCertType": null
66 }
67 ]
68 }
69 }
70 }
```

NewDriver

[NewDriver](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

NewDriver

 v6

Setter method that will create a new driver which is associated with the current Transportation Provider.

Request Elements	Required or Optional	Type	Definition
sessionIdentifier	Required	{sessionId}	Id for the session
firstName	Required	{element}	First name of the driver
lastName	Required	{bool}	Last name of the driver
licenseState	Required	{shortstring}	Driver license state issued
licenseNumber	Required	{shortstring}	Driver license number
licenseExpiration	Required	{shortstring}	Driver license expiration
directPhone	Optional	{phone}	Driver cell phone
allowLogin	Optional	{boolean}	Allow driver to login to portal
emailAddress	Required	{email}	Driver's email address
SSN	Optional	{string}	Driver's social security number
BirthDate	Optional	{date}	Driver's birth date
CTAAEmailAddress	Optional	{email}	Driver's email address for CTAA

Request Examples

XML

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <TPRequest>
3   <newDriver version="6">
4     <sessionIdentifier>{{sessionIdentifier}}</sessionIdentifier>
5     <firstName>Elaine</firstName>
6     <lastName>O'Connor Nardo</lastName>
7     <licenseState>NY</licenseState>
8     <licenseNumber>32982067</licenseNumber>
9     <licenseExpiration>01/01/2024</licenseExpiration>
10    <directPhone>1234567896</directPhone>
11    <allowLogin>0</allowLogin>
12    <emailAddress>enardo@email.com</emailAddress>
13    <SSN>859657548</SSN>
14    <BirthDate>04/06/1952</BirthDate>
15    <CTAAEmailAddress>marilu.henner@email.com</CTAAEmailAddress>
16  </newDriver>
17 </TPRequest>

```

JSON

```

1  {
2    "firstName": "Elaine",
3    "lastName": "O'Connor Nardo",
4    "licenseState": "NY",
5    "licenseNumber": "32982067",
6    "licenseExpiration": "01/01/2024",
7    "directPhone": "1234567896",
8    "allowLogin": "0",
9    "emailAddress": "enardo@email.com",
10   "SSN": "859657548",
11   "BirthDate": "04/06/1952",
12   "CTAAEmailAddress": "marilu.henner@email.com",
13   "sessionIdentifier": "{{sessionIdentifier}}",
14   "call": "newDriver",
15   "version": 6
16 }

```

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responseStatus	Required	{int}	1000, 40XX
responseMessage	Required	{string}	See Response Status (Appendix)
driverId	Required	{int}	Generated driver id for new driver
userId		{string}	Generated userId if login was TRUE
username		{string}	Generated username if login was TRUE

Response Examples

XML

```

1  <?xml version="1.0" encoding="utf-8" ?>
2  <TPResponse mode="Production">
3    <callStatus>1000</callStatus>
4    <callMessage>Success.</callMessage>
5    <newDriver version="6">
6      <responseStatus>1000</responseStatus>
7      <responseMessage>Success.</responseMessage>
8      <DriverLogin>
9        <driverId>1839968</driverId>
10       <userId></userId>
11       <username></username>
12     </DriverLogin>
13   </newDriver>
14 </TPResponse>

```

JSON

```

1  {
2    "TPResponse": {
3      "mode": "Production",
4      "callStatus": "1000",

```

```
5     "callMessage": "Success.",
6     "newDriver": {
7         "version": "6",
8         "responseStatus": "1000",
9         "responseMessage": "Success.",
10        "DriverLogin": {
11            "driverID": "1839967",
12            "userId": "",
13            "username": ""
14        }
15    }
16 }
17 }
```

[NewDriver](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

UpdateDriver

[UpdateDriver](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

UpdateDriver

 v6

Revise Driver record indicated by `driverId` to match the request parameters.

Request Elements	Required or Optional	Type	Definition
sessionId	Required	{sessionId}	Id for the session
driverId	Required	{int}	Driver record ID in MAS system
firstName	Required	{element}	First name of the driver
lastName	Required	{bool}	Last name of the driver
licenseState	Required	{shortstring}	Driver license state issued
licenseNumber	Required	{shortstring}	Driver license number
licenseExpiration	Required	{shortstring}	Driver license expiration
directPhone	Optional	{phone}	Driver cell phone
allowLogin	Optional	{boolean}	Allow driver to login to portal
emailAddress	Optional	{email}	Driver's email address
SSN	Optional	{string}	Driver's social security number
BirthDate	Optional	{date}	Driver's birth date
CTAAEmailAddress	Optional	{email}	Driver's CTA email address

Request Examples

XML

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <TPRequest>
3   <updateDriver version="6">
4     <sessionId>{{sessionId}}</sessionId>
5     <version>6</version>
6     <driverId>1728208</driverId>
7     <firstName>Bance</firstName>
8     <lastName>Bon</lastName>
9     <licenseState>NY</licenseState>
10    <licenseNumber>649179878</licenseNumber>
11    <licenseExpiration>2026-02-12</licenseExpiration>
12    <directPhone>9145551213</directPhone>
13    <allowLogin>1</allowLogin>
14    <emailAddress>Bance.bon@tp.com</emailAddress>
15    <SSN>111223333</SSN>
16    <BirthDate>09/02/1960</BirthDate>
17    <CTAAEmailAddress>ctaa_email@tp.com</CTAAEmailAddress>
```

```

18 </updateDriver>
19 </TPRequest>

```

JSON

```

1 {
2   "sessionIdentifier": "{{sessionIdentifier}}",
3   "call": "updateDriver",
4   "version": 6,
5   "driverId": "1728292",
6   "firstName": "Bance",
7   "lastName": "Bon",
8   "licenseState": "NY",
9   "licenseNumber": "343432342",
10  "licenseExpiration": "07/02/2025",
11  "directPhone": "5185559999",
12  "allowLogin": "1",
13  "emailAddress": "tester@tp.com",
14  "SSN": "111223333",
15  "BirthDate": "09/02/1960",
16  "CTAAEmailAddress": "ctaa_email@tp.com"
17 }

```

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responseStatus	Required	{int}	1000, 1001, 1002, 6201
responseMessage	Required	{string}	See response chart

Response Examples

XML

```

1 <?xml version="1.0" encoding="utf-8" ?>
2 <TPResponse mode="Production">
3   <callStatus>1000</callStatus>
4   <callMessage>Success.</callMessage>
5   <updateDriver version="6">
6     <responseStatus>1000</responseStatus>
7     <responseMessage>Success.</responseMessage>
8   </updateDriver>
9 </TPResponse>

```

JSON

```

1 {
2   "TPResponse": {
3     "mode": "Testing",
4     "callStatus": "1000",
5     "callMessage": "Success.",
6     "updateDriver": {
7       "version": "6",
8       "responseStatus": "1000",
9       "responseMessage": "Success."
10    }
11  }

```

```
11     }  
12 }
```

[UpdateDriver](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

DisableDriver

[DisableDriver](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

DisableDriver

 v5

Set `status` of a matching Driver record to 0 and “disable” the Driver.

Request Elements	Required or Optional	Type	Definition
sessionIdentifier	Required	{sessionId}	Id for the session
driverId	Required	{int}	Driver record ID in MAS system

Request Examples

XML	<pre>1 <?xml version="1.0" encoding="utf-8"?> 2 <TPRequest> 3 <disableDriver version="5"> 4 <sessionIdentifier>{{sessionIdentifier}}</sessionIdentifier> 5 <driverId>1728208</driverId> 6 </disableDriver> 7 </TPRequest></pre>
JSON	<pre>1 { 2 "sessionIdentifier": "{{sessionIdentifier}}", 3 "call": "disableDriver", 4 "version": 5, 5 "driverId": "1728292" 6 }</pre>

Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responseStatus	Required	{int}	1000, 3058, 400X, 500X
responseMessage	Required	{string}	See Response Status (Appendix)

Response Examples

XML	<pre>1 <?xml version="1.0" encoding="utf-8" ?> 2 <TPResponse mode="Production"> 3 <callStatus>1000</callStatus> 4 <callMessage>Success.</callMessage> 5 <disableDriver version="5"> 6 <responseStatus>1000</responseStatus> 7 <responseMessage>Success.</responseMessage> 8 </disableDriver> 9 </TPResponse></pre>
JSON	<pre>1 { 2 "TPResponse": { 3 "mode": "Testing", 4 "callStatus": "1000", 5 "callMessage": "Success.", 6 "disableDriver": { 7 "version": "5", 8 "responseStatus": "1000", 9 "responseMessage": "Success." 10 } 11 } 12 }</pre>

EnableDriver

[EnableDriver](#) | [Request Elements](#) | [Request Examples](#) | [XML](#) | [JSON](#) | [Response Elements](#) | [Response Examples](#) | [XML](#) | [JSON](#)

EnableDriver

 v5

Set `status` of a matching Driver record to 1 and “enable” the Driver.

Request Elements	Required or Optional	Type	Definition
sessionIdentifier	Required	{sessionId}	Id for the session
driverId	Required	{int}	Driver record ID in MAS system

Request Examples

XML	<pre> 1 <?xml version="1.0" encoding="utf-8"?> 2 <TPRequest> 3 <enableDriver version="5"> 4 <sessionIdentifier>{{sessionIdentifier}}</sessionIdentifier> 5 <driverId>1728208</driverId> 6 </enableDriver> 7 </TPRequest> </pre>
JSON	<pre> 1 { 2 "sessionIdentifier": "{{sessionIdentifier}}", 3 "call": "enableDriver", 4 "version": 5, 5 "driverId": "1728292" 6 } </pre>


Response Elements	Required or Optional	Type	Definition
version	Required	{int}	current version denoted in header and examples
responseStatus	Required	{int}	1000, 3058, 400X, 500X
responseMessage	Required	{string}	See Response Status (Appendix)

Response Examples

XML	<pre>1 <?xml version="1.0" encoding="utf-8" ?> 2 <TPResponse mode="Production"> 3 <callStatus>1000</callStatus> 4 <callMessage>Success.</callMessage> 5 <enableDriver version="5"> 6 <responseStatus>1000</responseStatus> 7 <responseMessage>Success.</responseMessage> 8 </enableDriver> 9 </TPResponse></pre>
JSON	<pre>1 { 2 "TPResponse": { 3 "mode": "Testing", 4 "callStatus": "1000", 5 "callMessage": "Success.", 6 "enableDriver": { 7 "version": "5", 8 "responseStatus": "1000", 9 "responseMessage": "Success." 10 } 11 } 12 }</pre>

Session Management

Session Management APIs

 For the API's listed below please refer to the API Endpoint Documentation v5.5

API List

- StartSession
- EndSession

Trip Management

Trip Management APIs


 For the API's listed below please refer to the API Endpoint Documentation v5.5

API List

- UpdateProviderAvailability
- PullRoster
- RefuseTrip
- TripRoster
- DispatchLeg
- ReassignDriverVehicle
- UpdateProviderZipCodes
- TransportationProviderUpdateServiceAreas
- TransportationProviderUpdateCapacity

GPS

GPS APIs


 For the API's listed below please refer to the API Endpoint Documentation v5.5

API List

- UpdateVehicleLocation
- GetCurrentVehicleLocation
- UpdateGPS
- GetTripLegsTracking

Attestation


Attestation APIs

 For the API's listed below please refer to the API Endpoint Documentation v5.5

API List

- InvoiceAttest
- GetAttestation
- AwaitingAttestation


Corrections APIs

 For the API's listed below please refer to the API Endpoint Documentation v5.5

API List

- OpenCorrections
- NewCorrectionRequest
- GetCorrectionsRequest
- DeleteCorrectionRequest
- EditCorrectionRequest
- ListServiceCorrections

Informational APIs

 For the API's listed below please refer to the API Endpoint Documentation v5.5

API List

- GetCounties
- GetCountyZips
- GetBillingCompanies
- GetRoutingCompanies

Type Definitions

{replace this text with Descriptive Narrative of the API section grouping}

Definitions and Reference

- Response Status
- Token Description
- Vehicle Type
- String Variables
- Correction Id Types
- Correction Status Values
- Mileage Upgrade Correction Values
- Trip Status and Leg Status
- Trip Reassign/Refusal Id Types
- Driver and Vehicle Reassign Status Values

Response Status

Response Status Codes and Descriptions	
1000	Success.
1001	Driver Added.
1002	Driver Updated.
1003	Vehicle Added.
1004	Vehicle Updated.
2000	Warning.
2003	Expired Password. This user<@SQ>s password has expired and needs to be reset.
2050	Batch execution had failed runs
2100	No Results.
3000	Driver Failure.
3001	Incorrect Provider Number.
3002	Invalid Expiration date.
3003	Invalid Issue State.
3004	Full Driver Name Missing.
3005	Invalid Motorist ID.
3006	Invalid Driver Status.
3007	Duplicate Email Address
3008	Duplicate License and State
3010	Vehicle Failure.
3011	Incorrect Provider Number.
3012	Invalid Expiration date.
3013	Invalid Issue State.
3014	Full Vehicle Name Needed.
3015	Invalid Registration ID.
3016	Invalid Vehicle Type.
3018	Invalid Vehicle Status.
3019	You must specify a driver or invoice number.

3020	You must specify a date or invoice number.
3021	No Trips Found.
3022	Invalid Invoice Number.
3023	Invalid Start Date.
3024	Invalid End Date, Must be within 30 days of Current Date.
3025	Too many Trips. More than 1000 trips found. Rerun request with shorter date range.
3026	Open Correction. Trips with open correction requests cannot be attested to.
3027	Correction cannot be created for this invoice.
3028	Correction with <@SQ>completed<@SQ> or <@SQ>not needed<@SQ> status cannot be approved.
3029	Correction has already been approved.
3030	Could not determine new TP to reassign trip
3031	Error assigning new TP to trip
3032	Transportation Provider record is inactive. Check Certification.
3033	Address correction leg may only define an addressId OR placeld for individual pickup/dropoff
3034	Correction cannot be edited for this invoice.
3035	No Trans_Provider Ids found
3045	Illegal Access. User doesn't have permissions to use this call.
3050	No Drivers. Transportation Provider has no drivers.
3051	Invalid Driver. Driver ID was not found for Transportation Provider or is not active.
3052	Already Started. This driver has already started another leg.
3053	Driver exists use editDriver.
3054	Driver not found.
3055	Open Correction exists. New Correction cannot be submitted.
3056	Correction cannot be submitted for trips older than 30 days.
3057	Driver MisMatch.
3058	Email address already in use. Please supply another email address.
3060	No Vehicles. Transportation Provider has no vehicles.
3061	Invalid Vehicle. Vehicle ID was not found for Transportation Provider or is not active.

3071	Invalid Leg. Leg ID was not found for Transportation Provider or is not eligible.
3072	Already Started. This leg has already been started by another driver.
3073	Invalid Leg. Leg not started by this driver, or already complete.
3074	Not Dispatched. Leg not dispatched to this driver and/or vehicle.
3075	Already Dispatched. This leg has already been dispatched.
3076	Distance from location to great
3077	Call out of sequense - current leg tracking status is <@LITERAL '@@trackingStatus'>
3080	Invalid Driver. No driver was found for the supplied credentials.
3081	Invalid Trip. The trip provided is not eligible or attached to this driver. <@LITERAL '@@invoiceNumber'>
3082	Invalid Driver. The driver is not active.
3083	Authentication Failed. No Auth Key Found.
3084	Authentication Failed. No Trip Found.
3085	Invalid Trip. The trip provided is not eligible or attached to this Transportation Provider. <@LITERAL '@@invoiceNumber'>
3086	Invalid Request. The trip appointment has passed and cannot be reassgined.
3090	Missing Value. <@LITERAL '@@dayOfWeek'> must have a start time.
3091	Missing Value. <@LITERAL '@@dayOfWeek'> must have an end time.
3092	Missing Value. <@LITERAL '@@dayOfWeek'> must have a capacity.
3093	Invalid Availablity. You must be open at least one day of the week.
3094	You must specify both a latitude and longitude.
3096	currentPage cannot exceed pageCount.
3100	Session Not Found. The sessionIdentifier does not match an existing session. The call could not be completed.
3101	Access Violation. Testing account attempted to access non-testing data.
3102	Two Factor Authentication. Must complete Two Factor Authentication before making other calls.
3103	You do not have access to this profile.
3104	You are missing a unified profile. Please contact MAS Support to have a unified profile created.

3105	You cannot overwrite existing GPS data
3106	You cannot change the GPS data DRIVER for this leg
3107	You cannot change the GPS data VEHICLE for this leg
3108	Invalid Location value
3109	Invalid Time_Stamp value
3110	Driver must be specified
3111	Vehicle must be specified
3112	No Show and Start/Dropoff/End cannot be attested in the same leg
3200	Invalid Google PlaceId
3499	All Legs Deleted. All legs of an invoice were deleted. Please set Trip status to Cancelled or No Show instead.
3501	Matching trip not found. Can be because trip does not exist or because the API key used does not match the Transportation Provider assigned to the trip
3502	Invoice does not have 'Eligible' status
3503	Invoice has already been attested to
3506	Vehicle Id not found
3507	Vehicle registration expired
3508	Driver Id not found
3509	Drivers license expired
3510	Max leg mileage exceeded
3511	Service needed and no units specified
3512	Leg mileage error
3520	Original Driver/Vehicle same as new Driver/Vehicle
3900	Invalid PIN. The supplied PIN didn't match an API user.
4000	Missing Value.
4100	Missing Value.
5000	Incorrect Value.
6000	Error.
6010	Encryption Required. Request must use SSL/TLS.
6011	HTTP POST Required. Request must use the POST method.
6012	Invalid Content-Type. HTTP header Content-Type must be application/xml.

6013	Invalid Host. HTTP header Host must be MAS A Driving Force in NEMT .
6014	Invalid Accept.
6015	Invalid request. Request must use JSON
6020	Invalid XML. The XML body could not be parsed.
6021	Malformed Request. The request does not have the correct structure.
6025	Malformed request. The maxDate must be equal to or greater than the minDate.
6030	Authentication Failed. There is no account linked to the key provided.
6031	Syntax Error. This call must not contain a sessionId.
6032	Invalid Account. The account has a problem.
6033	Production Only. This call only supports production accounts.
6050	You do not have the correct permissions to use the call <@LITERAL '@@callName'> version <@LITERAL '@@version'>.
6051	Session Ended. This session has been ended. Please start a new session and resubmit your request.
6052	Session Expired. This session has expired. Please start a new session and resubmit your request.
6053	Access Denied. Required: MAS Admin or ATM.
6054	Access Denied. Required: MAS staff or Transportation Provider with permission to access.
6055	Access Denied. Required: Transportation Provider with permission to access.
6090	Timeout. The request could not be completed in a reasonable amount of time.
6098	Deprecated. Version <@LITERAL '@@version'> for call <@LITERAL '@@callName'> has been deprecated. Please use a newer version.
6099	No call or version. No version <@LITERAL '@@version'> for call <@LITERAL '@@callName'> found.
6201	Syntax Error. The attributes node must contain only attribute nodes.
6999	System Error. An internal error occurred. Please run your request again.

Token Description

Token Descriptions	
{boolean}	String. Either "true" or "false". Not case sensitive.
{int}	Number. 32-bit signed whole number
{decimal}	Number which can include a decimal point.
{shortString}	String. Up to 250 characters
{string}	String. Up to 1000 characters
{value}	User entered character data with no type definition. Up to 4000 characters
{date}	Date. ISO format: YYYY-MM-DD
{time}	Time. 24-hour ISO format: HH:MM:SS
{timestamp}	<p>{date}T{time}</p> <p>Local time: No time zone component is necessary, since MAS only services New York State, which is completely located within the Eastern Time Zone. All values passing through our APIs will match the "wall clock", whether it is Standard Time or Daylight Saving Time.</p>
{status}	String. Fixed possibilities: "success" "warning" "failure" "error"
{key}	String. Authentication key assigned by MAS. Conforms to {shortString}
{sessionId}	String. Unique session identifier. Conforms to {shortString}
{VehicleType}	Vehicle Type based on the following chart
{UpdateStatus}	Returned Exit status for individual records based on following chart

Vehicle Type

Vehicle Type	
Ambulance	
Livery	
Personal Car	
Specialty	
Stretcher	
Taxi	
Wheelchair	

String Variables

API String Variables	
string	Max 1000 characters for input
shortstring	Max 250 characters for input
phone	Alpha-Numeric string matching a phone pattern e.g: (XXX) XXX-XXXX XXX-XXX-XXXX XXXXXXXXXX
zipcode	5-digit number
email	Alpha-numeric string matching an email pattern
element	An XML container element which holds a specific set of data in the request/response
medicaid	A value that matches a medicaid number pattern

Correction Id Types

Correction id Types	
1	Combine invoices
4	Missing PA Number
6	Other
8	Procedure Code/Secondary Service
9	Address
10	TP attestation error
11	Mileage

Correction Status Values

Correction Status Values	
0	None
1	Needed
2	Completed
3	Not Needed
4	Overdue

Mileage Upgrade Correction Values

Mileage Upgrade Correction Values	
0	Detour
1	Traffic
2	Construction
3	Accident

Trip Status and Leg Status

Trip Status Values	
1	Any value NOT cancelled
2	Cancelled

Leg Status Values	
0	Cancelled
1	Active
2	Deleted

Driver and Vehicle Reassign Status Values

Driver and Vehicle Reassign Status Values	
-2	there is already a pending reassign
-1	no record found in Trip_Leg_Tracking
0	row in Trip_Leg_Tracking was marked as complete or none no action to take
1	Active reassign
2	New Driver Resumed the Trip
3	Original Driver Resumed the Trip
4	Original Driver Completed the Trip
5	Reassign before trip Start
6	Vehicle change on Active Reassign

Trip Reassign/Refusal Id Types

Trip Reassign/Refusal Id Types	
1	Zip Code
2	Capacity
3	Trans Type
4	Time of Day